



COUNTY OF LOS ANGELES
Public Health

Sexually Transmitted Disease Program

Community Counseling and Testing Services 2006 Mid-Year Report



2615 South Grand Avenue, Room 500
Los Angeles, CA 90007
Tel: (213) 744-3070 Fax: (213) 749-9606

www.lapublichealth.org/std



JONATHAN E. FIELDING, M.D., M.P.H.
Acting Director and Health Officer

JOHN SCHUNHOFF, Ph.D.
Acting Chief Deputy

Sexually Transmitted Disease Program

PETER R. KERNDT, M.D. M.P.H., Director
2615 South Grand Avenue, Room 500
Los Angeles, California 90007
TEL (213) 744-3070 • FAX (213) 749-9606

www.lapublichealth.org



BOARD OF SUPERVISORS

Gloria Molina
First District

Yvonne Brathwaite Burke
Second District

Zev Yaroslavsky
Third District

Don Knabe
Fourth District

Michael D. Antonovich
Fifth District

September 1, 2006

Dear Colleague:

The STD Program is pleased to release the report, "Community Counseling and Testing Services, 2006 Mid-Year Report." This report summarizes the demographic characteristics of participants screened by the STD Program's Mobile Testing Unit (MTU), as well as the results of HIV, chlamydia, gonorrhea, and syphilis mobile testing in Los Angeles County from January through June, 2006.

During 2006, the MTU provided services to 1,016 individuals. Staff performed 892 HIV tests (1.2% positive); 726 chlamydia tests (4.8% positive); 726 gonorrhea tests (1.0% positive); and, 712 syphilis tests (0.3% positive).

Since 2001, the MTU has offered free, confidential testing for STD/HIV to high-risk individuals, including men who have sex with men, injection drug users, men who have sex with men and women, homeless, and commercial sex workers. In 2006 alone, the MTU offered screening at 54 different venues, including parks, alleys, housing projects, bridges, motels, day labor sites, and areas where the homeless and drug users congregate.

During each outreach, Mobile Testing Unit staff conducts one-on-one health education and risk reduction counseling and provides referrals for treatment and support services. Clients also receive condoms, lubricant, and health education materials.

The STD Program would like to acknowledge the important collaboration with many community-based organizations to provide HIV testing services. To view the MTU monthly schedule online, please go to <http://lapublichealth.org/std/index.htm>.

Sincerely,

A handwritten signature in black ink that reads "Peter R. Kerndt". The signature is written in a cursive, flowing style.

Peter R. Kerndt, MD, MPH
Director, Sexually Transmitted Disease Program

DEPARTMENT OF PUBLIC HEALTH

Jonathan E. Fielding, MD, MPH
Acting Director and Health Officer

John Schunhoff, PhD
Acting Chief Deputy

Robert Kim-Farley, MD
Director, Disease Control Programs

SEXUALLY TRANSMITTED DISEASE PROGRAM

Peter R. Kerndt, MD, MPH
Director

Sarah Guerry, MD
Medical Director

Naomi Anderson and Marian Eldahaby
Data Managers

Lisa V. Smith, MS, DrPH
Director, Epidemiology Unit
Guillermo Campos, Cynthia Davison, Stephanie
Koai, Jacqueline Moore, Tracey Smith

Jorge A. Montoya, PhD
*Communications, Outreach, and Program
Evaluation*

Tony Bustamante, Kenneth Myers,
and Carol Magee
Managers, Mobile Testing Unit

Sarah Alvarez, Maria Arevalo, Mario Campana,
Zakiya Hill, and Willie Sledge

Aaron Plant, MPH
Communications Coordinator

Community Counseling and Testing Services is published by the Sexually Transmitted Disease Program of the Los Angeles County Department of Health Services. This report is also available in PDF format at www.lapublichealth.org/std.

If you would like to receive surveillance reports and other information from the STD Program, please call (213) 744-3070 and provide the attendant with your e-mail address or register for **STDInfo** on-line at www.ladhs.org/listserv.

SUGGESTED CITATION

Sexually Transmitted Disease Program, Los Angeles County Department of Health Services. *Community Counseling and Testing Services, January-June 2006*: pp. 1-13.

CONTENTS

Table 1:	Sociodemographics of participants screened by the Mobile Testing Unit, January-June 2006	1
Table 2:	Sociodemographics of Latino participants screened by the Mobile Testing Unit, January-June 2006	2
Table 3:	Sociodemographics of African American participants screened by the Mobile Testing Unit, January-June 2006	3
Table 4:	Sociodemographics of White participants screened by the Mobile Testing Unit, January-June 2006	4
Table 5:	Sociodemographics of Other/Mixed Race participants screened by the Mobile Testing Unit, January-June 2006	5
Table 6:	Sexual orientation of participants screened by the Mobile Testing Unit, January-June 2006	6
Table 6a:	STD/HIV positivity by sexual orientation, Mobile Testing Unit, January-June 2006	7
Table 6b:	STD/HIV status of men who have sex with men (MSM) screened by the Mobile Testing Unit, January-June 2006	8
Table 7:	Summary of sexually transmitted infections and co-infections, Mobile Testing Unit, January-June 2006	9
Table 7a:	Summary of sexually transmitted infections and co-infections among men who have sex with men (MSM), Mobile Testing Unit, January-June 2006	10
Table 8:	STD/HIV positivity by venue type, Mobile Testing Unit, January-June 2006	11
Appendix A	STD Program Surveillance Report Request	12
Appendix B	Where to Report Communicable Diseases in Los Angeles County	13

Table 1. Sociodemographics of participants screened by the Mobile Testing Unit¹, January - June 2006.

	Total Screened		Chlamydia			Gonorrhea			Early Syphilis ²			HIV		
			No. Tests	Positive Tests		No. Tests	Positive Tests		No. Tests	Positive Tests		No. Tests	Positive Tests	
	n	%		n	%		n	%		n	%		n	%
Total	1,016	100.0	726	35	4.8	726	7	1.0	712	2	0.3	892	11	1.2
Gender														
Male	573	56.4	407	21	5.2	407	4	1.0	425	1	0.2	493	4	0.8
Female	439	43.2	315	14	4.4	315	3	1.0	284	1	0.4	399	7	1.8
Male-to-Female	4	0.4	4	0	0.0	4	0	0.0	3	0	0.0	--	--	--
Female-to-Male	0	0.0	--	--	--	--	--	--	--	--	--	--	--	--
Unknown	0	0.0	--	--	--	--	--	--	--	--	--	--	--	--
Age Group														
12-14	4	0.4	4	1	25.0	4	0	0.0	2	0	0.0	1	0	0.0
15-19	109	10.7	87	12	13.8	87	2	2.3	69	0	0.0	81	0	0.0
20-24	142	14.0	111	9	8.1	111	3	2.7	110	0	0.0	128	0	0.0
25-29	129	12.7	99	3	3.0	99	0	0.0	97	1	1.0	111	0	0.0
30-34	103	10.1	75	3	4.0	75	0	0.0	71	0	0.0	97	0	0.0
35-39	110	10.8	76	3	3.9	76	0	0.0	83	1	1.2	95	3	3.2
40-44	124	12.2	90	2	2.2	90	0	0.0	87	0	0.0	110	2	1.8
45-49	107	10.5	72	1	1.4	72	1	1.4	77	0	0.0	97	2	2.1
50-54	84	8.3	52	1	1.9	52	0	0.0	52	0	0.0	78	3	3.8
55-59	49	4.8	29	0	0.0	29	0	0.0	30	0	0.0	44	1	2.3
60+	39	3.8	21	0	0.0	21	1	4.8	21	0	0.0	35	0	0.0
Missing	16	1.6	10	0	0.0	10	0	0.0	13	0	0.0	15	0	0.0
Race/Ethnicity														
Latino	410	40.4	305	8	2.6	305	0	0.0	298	1	0.3	350	1	0.3
African-American	421	41.4	298	25	8.4	298	7	2.3	279	1	0.4	376	8	2.1
White	120	11.8	74	1	1.4	74	0	0.0	89	0	0.0	108	1	0.9
Asian	35	3.4	22	1	4.5	22	0	0.0	23	0	0.0	31	0	0.0
American Indian	5	0.5	4	0	0.0	4	0	0.0	4	0	0.0	5	1	20.0
Native Hawaiian/Pacific Islander	5	0.5	5	0	0.0	5	0	0.0	4	0	0.0	4	0	0.0
Other/Mixed Race	17	1.7	15	0	0.0	15	0	0.0	13	0	0.0	15	0	0.0
Missing	3	0.3	3	0	0.0	3	0	0.0	2	0	0.0	3	0	0.0
Marital Status														
Single	762	75.0	543	27	5.0	543	6	1.1	534	2	0.4	674	11	1.6
Married	142	14.0	102	3	2.9	102	0	0.0	96	0	0.0	120	0	0.0
Divorced	22	2.2	16	3	18.8	16	0	0.0	17	0	0.0	16	0	0.0
Cohabitated	28	2.8	20	0	0.0	20	0	0.0	21	0	0.0	26	0	0.0
Widowed	19	1.9	11	0	0.0	11	0	0.0	9	0	0.0	18	0	0.0
Separated	34	3.3	26	1	3.8	26	1	3.8	27	0	0.0	29	0	0.0
Unknown	9	0.9	8	1	12.5	8	0	0.0	8	0	0.0	9	0	0.0
Month Tested														
January	129	12.7	114	6	5.3	114	1	0.9	113	0	0.0	126	1	0.8
February	190	18.7	143	3	2.1	143	1	0.7	140	1	0.7	175	5	2.9
March	143	14.1	75	4	5.3	75	1	1.3	82	0	0.0	133	0	0.0
April	146	14.4	98	5	5.1	98	1	1.0	81	0	0.0	91	0	0.0
May	170	16.7	146	6	4.1	146	2	1.4	158	1	0.6	160	3	1.9
June	238	23.4	150	11	7.3	150	1	0.7	138	0	0.0	207	2	1.0

1. Participants were screened at 54 venues including consulates, garment, apparel districts, street corners, parks, and colleges. In most cases, participants were offered a choice of chlamydia/gonorrhea, syphilis, and/or HIV testing.

2. Primary, Secondary, and Early Latent Syphilis.

3. Cumulative percentages may not equal 100% due to rounding.

Table 2. Sociodemographics of Latino participants screened by the Mobile Testing Unit¹, January-June 2006.

	Total Screened		Chlamydia			Gonorrhea			Early Syphilis ²			HIV		
			No. Tests	Positive Tests		No. Tests	Positive Tests		No. Tests	Positive Tests		No. Tests	Positive Tests	
	n	%		n	%		n	%		n	%		n	%
Total	410	100.0	305	8	2.6	305	0	0.0	298	1	0.3	350	1	0.3
Gender														
Male	257	62.7	189	3	1.6	189	0	0.0	192	1	0.5	214	1	0.5
Female	149	36.3	112	5	4.5	112	0	0.0	103	0	0.0	136	0	0.0
Male-to-Female	4	1.0	4	0	0.0	4	0	0.0	3	0	0.0	--	--	--
Female-to-Male	0	0.0	--	--	--	--	--	--	--	--	--	--	--	--
Unknown	0	0.0	--	--	--	--	--	--	--	--	--	--	--	--
Age Group														
12-14	0	0.0	--	--	--	--	--	--	--	--	--	--	--	--
15-19	44	10.7	31	2	6.5	31	0	0.0	22	0	0.0	36	0	0.0
20-24	87	21.2	67	2	3.0	67	0	0.0	68	0	0.0	81	0	0.0
25-29	72	17.6	57	1	1.8	57	0	0.0	55	1	1.8	61	0	0.0
30-34	51	12.4	39	1	2.6	39	0	0.0	40	0	0.0	47	0	0.0
35-39	52	12.7	37	0	0.0	37	0	0.0	43	0	0.0	41	1	2.4
40-44	35	8.5	28	1	3.6	28	0	0.0	23	0	0.0	28	0	0.0
45-49	27	6.6	20	1	5.0	20	0	0.0	21	0	0.0	21	0	0.0
50-54	17	4.1	10	0	0.0	10	0	0.0	10	0	0.0	13	0	0.0
55-59	10	2.4	7	0	0.0	7	0	0.0	7	0	0.0	9	0	0.0
60+	7	1.7	3	0	0.0	3	0	0.0	3	0	0.0	5	0	0.0
Missing	8	2.0	6	0	0.0	6	0	0.0	6	0	0.0	8	0	0.0
Marital Status														
Single	281	68.5	212	5	2.4	212	0	0.0	208	1	0.5	245	1	0.4
Married	86	21.0	65	1	1.5	65	0	0.0	58	0	0.0	65	0	0.0
Divorced	5	1.2	3	1	33.3	3	0	0.0	4	0	0.0	5	0	0.0
Cohabitated	14	3.4	9	0	0.0	9	0	0.0	11	0	0.0	14	0	0.0
Widowed	4	1.0	2	0	0.0	2	0	0.0	2	0	0.0	4	0	0.0
Separated	17	4.1	11	0	0.0	11	0	0.0	12	0	0.0	14	0	0.0
Unknown	3	0.7	3	1	33.3	3	0	0.0	3	0	0.0	3	0	0.0
Month Tested														
January	48	11.7	44	2	4.5	44	0	0.0	46	0	0.0	47	0	0.0
February	91	22.2	72	0	0.0	72	0	0.0	72	0	0.0	84	0	0.0
March	66	16.1	36	1	2.8	36	0	0.0	36	0	0.0	62	0	0.0
April	70	17.1	48	1	2.1	48	0	0.0	34	0	0.0	39	0	0.0
May	51	12.4	46	2	4.3	46	0	0.0	50	1	2.0	50	1	2.0
June	84	20.5	59	2	3.4	59	0	0.0	60	0	0.0	68	0	0.0

1. Participants were screened at 54 venues including consulates, garment, apparel districts, street corners, parks, and colleges. In most cases, participants were offered a choice of chlamydia/gonorrhea, syphilis, and/or HIV testing.

2. Primary, Secondary, and Early Latent Syphilis.

3. Cumulative percentages may not equal 100% due to rounding.

Table 3. Sociodemographics of African American participants screened by the Mobile Testing Unit¹, January - June 2006.

	Total Screened		Chlamydia			Gonorrhea			Early Syphilis ²			HIV		
			No. Tests	Positive Tests		No. Tests	Positive Tests		No. Tests	Positive Tests		No. Tests	Positive Tests	
	n	%		n	%		n	%		n	%		n	%
Total	421	100.0	298	25	8.4	298	7	2.3	279	1	0.4	376	8	2.1
Gender														
Male	209	49.6	150	16	10.7	150	4	2.7	151	0	0.0	183	2	1.1
Female	212	50.4	148	9	6.1	148	3	2.0	128	1	0.8	193	6	3.1
Male-to-Female	0	0.0	--	--	--	--	--	--	--	--	--	--	--	--
Female-to-Male	0	0.0	--	--	--	--	--	--	--	--	--	--	--	--
Unknown	0	0.0	--	--	--	--	--	--	--	--	--	--	--	--
Age Group														
12-14	4	1.0	4	1	25.0	4	0	0.0	2	0	0.0	1	0	0.0
15-19	56	13.3	48	10	20.8	48	2	4.2	40	0	0.0	37	0	0.0
20-24	30	7.1	26	6	23.1	26	3	11.5	24	0	0.0	25	0	0.0
25-29	36	8.6	29	2	6.9	29	0	0.0	28	0	0.0	30	0	0.0
30-34	33	7.8	23	2	8.7	23	0	0.0	19	0	0.0	31	0	0.0
35-39	34	8.1	20	2	10.0	20	0	0.0	21	1	4.8	33	2	6.1
40-44	67	15.9	48	1	2.1	48	0	0.0	47	0	0.0	61	1	1.6
45-49	55	13.1	37	0	0.0	37	1	2.7	36	0	0.0	54	1	1.9
50-54	55	13.1	37	1	2.7	37	0	0.0	36	0	0.0	53	3	5.7
55-59	27	6.4	14	0	0.0	14	0	0.0	14	0	0.0	27	1	3.7
60+	22	5.2	10	0	0.0	10	1	10.0	11	0	0.0	22	0	0.0
Missing	2	0.5	2	0	0.0	2	0	0.0	1	0	0.0	2	0	0.0
Marital Status														
Single	343	81.5	241	21	8.7	241	6	2.5	226	1	0.4	306	8	2.6
Married	39	9.3	27	1	3.7	27	0	0.0	26	0	0.0	39	0	0.0
Divorced	10	2.4	8	2	25.0	8	0	0.0	7	0	0.0	5	0	0.0
Cohabitated	6	1.4	4	0	0.0	4	0	0.0	4	0	0.0	6	0	0.0
Widowed	10	2.4	6	0	0.0	6	0	0.0	4	0	0.0	9	0	0.0
Separated	9	2.1	9	1	11.1	9	1	11.1	9	0	0.0	7	0	0.0
Unknown	4	1.0	3	0	0.0	3	0	0.0	3	0	0.0	4	0	0.0
Month Tested														
January	56	13.3	48	4	8.3	48	1	2.1	46	0	0.0	55	1	1.8
February	81	19.2	56	3	5.4	56	1	1.8	55	1	1.8	76	5	6.6
March	26	6.2	14	2	14.3	14	1	7.1	12	0	0.0	21	0	0.0
April	62	14.7	44	4	9.1	44	1	2.3	38	0	0.0	39	0	0.0
May	76	18.1	68	3	4.4	68	2	2.9	70	0	0.0	70	0	0.0
June	120	28.5	68	9	13.2	68	1	1.5	58	0	0.0	115	2	1.7

1. Participants were screened at 54 venues including consulates, garment, apparel districts, street corners, parks, and colleges. In most cases, participants were offered a choice of chlamydia/gonorrhea, syphilis, and/or HIV testing.

2. Primary, Secondary, and Early Latent Syphilis.

3. Cumulative percentages may not equal 100% due to rounding.

Table 4. Sociodemographics of White participants screened by the Mobile Testing Unit¹, January-June 2006.

	Total Screened		Chlamydia			Gonorrhea			Early Syphilis ²			HIV		
			No. Tests	Positive Tests		No. Tests	Positive Tests		No. Tests	Positive Tests		No. Tests	Positive Tests	
	n	%		n	%		n	%		n	%		n	%
Total	120	100.0	74	1	1.4	74	0	0.0	89	0	0.0	108	1	0.9
Gender														
Male	70	58.3	40	1	2.5	40	0	0.0	51	0	0.0	63	1	1.6
Female	50	41.7	34	0	0.0	34	0	0.0	38	0	0.0	45	0	0.0
Male-to-Female	0	0.0	--	--	--	--	--	--	--	--	--	--	--	--
Female-to-Male	0	0.0	--	--	--	--	--	--	--	--	--	--	--	--
Unknown	0	0.0	--	--	--	--	--	--	--	--	--	--	--	--
Age Group														
12-14	0	0.0	--	--	--	--	--	--	--	--	--	--	--	--
15-19	4	3.3	4	0	0.0	4	0	0.0	4	0	0.0	4	0	0.0
20-24	8	6.7	5	0	0.0	5	0	0.0	7	0	0.0	7	0	0.0
25-29	13	10.8	7	0	0.0	7	0	0.0	9	0	0.0	13	0	0.0
30-34	14	11.7	9	0	0.0	9	0	0.0	9	0	0.0	14	0	0.0
35-39	15	12.5	11	1	9.1	11	0	0.0	10	0	0.0	12	0	0.0
40-44	13	10.8	8	0	0.0	8	0	0.0	11	0	0.0	13	1	7.7
45-49	20	16.7	11	0	0.0	11	0	0.0	17	0	0.0	18	0	0.0
50-54	10	8.3	4	0	0.0	4	0	0.0	5	0	0.0	10	0	0.0
55-59	10	8.3	6	0	0.0	6	0	0.0	7	0	0.0	7	0	0.0
60+	9	7.5	7	0	0.0	7	0	0.0	6	0	0.0	7	0	0.0
Missing	4	3.3	2	0	0.0	2	0	0.0	4	0	0.0	3	0	0.0
Marital Status														
Single	89	74.2	52	0	0.0	52	0	0.0	65	0	0.0	80	1	1.3
Married	9	7.5	6	1	16.7	6	0	0.0	7	0	0.0	8	0	0.0
Divorced	5	4.2	3	0	0.0	3	0	0.0	5	0	0.0	5	0	0.0
Cohabitated	7	5.8	6	0	0.0	6	0	0.0	5	0	0.0	5	0	0.0
Widowed	4	3.3	2	0	0.0	2	0	0.0	3	0	0.0	4	0	0.0
Separated	6	5.0	5	0	0.0	5	0	0.0	4	0	0.0	6	0	0.0
Unknown	0	0.0	--	--	--	--	--	--	--	--	--	--	--	--
Month Tested														
January	21	17.5	18	0	0.0	18	0	0.0	18	0	0.0	20	0	0.0
February	10	8.3	8	0	0.0	8	0	0.0	7	0	0.0	8	0	0.0
March	31	25.8	11	0	0.0	11	0	0.0	20	0	0.0	30	0	0.0
April	12	10.0	6	0	0.0	6	0	0.0	7	0	0.0	11	0	0.0
May	26	21.7	17	1	5.9	17	0	0.0	24	0	0.0	25	1	4.0
June	20	16.7	14	0	0.0	14	0	0.0	13	0	0.0	14	0	0.0

1. Participants were screened at 54 venues including consulates, garment, apparel districts, street corners, parks, and colleges. In most cases, participants were offered a choice of chlamydia/gonorrhea, syphilis, and/or HIV testing.

2. Primary, Secondary, and Early Latent Syphilis.

3. Cumulative percentages may not equal 100% due to rounding.

Table 5. Sociodemographics of Other/Mixed Race participants¹ screened by the Mobile Testing Unit², January-June 2006.

	Total Screened		Chlamydia			Gonorrhea			Early Syphilis ³			HIV		
			No. Tests	Positive Tests		No. Tests	Positive Tests		No. Tests	Positive Tests		No. Tests	Positive Tests	
	n	%		n	%		n	%		n	%		n	%
Total	62	100.0	46	1	2.2	46	0	0.0	44	0	0.0	55	1	1.8
Gender														
Male	36	58.1	27	1	3.7	27	0	0.0	30	0	0.0	32	0	0.0
Female	26	41.9	19	0	0.0	19	0	0.0	14	0	0.0	23	1	4.3
Male-to-Female	0	0.0	--	--	--	--	--	--	--	--	--	--	--	--
Female-to-Male	0	0.0	--	--	--	--	--	--	--	--	--	--	--	--
Unknown	0	0.0	--	--	--	--	--	--	--	--	--	--	--	--
Age Group														
12-14	0	0.0	--	--	--	--	--	--	--	--	--	--	--	--
15-19	5	8.1	4	0	0.0	4	0	0.0	3	0	0.0	4	0	0.0
20-24	16	25.8	12	1	8.3	12	0	0.0	10	0	0.0	14	0	0.0
25-29	7	11.3	5	0	0.0	5	0	0.0	5	0	0.0	6	0	0.0
30-34	5	8.1	4	0	0.0	4	0	0.0	3	0	0.0	5	0	0.0
35-39	9	14.5	8	0	0.0	8	0	0.0	9	0	0.0	9	0	0.0
40-44	9	14.5	6	0	0.0	6	0	0.0	6	0	0.0	8	0	0.0
45-49	5	8.1	4	0	0.0	4	0	0.0	3	0	0.0	4	1	25.0
50-54	2	3.2	1	0	0.0	1	0	0.0	1	0	0.0	2	0	0.0
55-59	1	1.6	1	0	0.0	1	0	0.0	1	0	0.0	--	--	--
60+	1	1.6	1	0	0.0	1	0	0.0	1	0	0.0	1	0	0.0
Missing	2	3.2	--	--	--	--	--	--	2	0	0.0	2	0	0.0
Marital Status														
Single	48	77.4	37	1	2.7	37	0	0.0	34	0	0.0	42	1	2.4
Married	8	12.9	4	0	0.0	4	0	0.0	5	0	0.0	8	0	0.0
Divorced	2	3.2	2	0	0.0	2	0	0.0	1	0	0.0	1	0	0.0
Cohabitated	1	1.6	1	0	0.0	1	0	0.0	1	0	0.0	1	0	0.0
Widowed	0	0.0	--	--	--	--	--	--	--	--	--	--	--	--
Separated	2	3.2	1	0	0.0	1	0	0.0	2	0	0.0	2	0	0.0
Unknown	1	1.6	1	0	0.0	1	0	0.0	1	0	0.0	1	0	0.0
Month Tested														
January	3	4.8	3	0	0.0	3	0	0.0	2	0	0.0	3	0	0.0
February	8	12.9	7	0	0.0	7	0	0.0	6	0	0.0	7	0	0.0
March	20	32.3	14	1	7.1	14	0	0.0	14	0	0.0	20	0	0.0
April	2	3.2	--	--	--	--	--	--	2	0	0.0	2	0	0.0
May	15	24.2	13	0	0.0	13	0	0.0	13	0	0.0	13	1	7.7
June	14	22.6	9	0	0.0	9	0	0.0	7	0	0.0	10	0	0.0

1. Includes race/ethnicities: Asian, American Indian, Native Hawaiian/Pacific Islander, and other/mixed races.

2. Participants were screened at 54 venues including consulates, garment, apparel districts, street corners, parks, and colleges. In most cases, participants were offered a choice of chlamydia/gonorrhea, syphilis, and/or HIV testing.

3. Primary, Secondary, and Early Latent Syphilis.

4. Cumulative percentages may not equal 100% due to rounding.

Table 6. Sexual orientation of participants screened by Mobile Testing Unit¹, January - June 2006.

Gender of Sex Partner	Gender of Respondents					
	Male		Female		Male-to-Female	
	n	%	n	%	n	%
Male	65	11.3	341	77.7	2	50.0
Female	431	75.2	16	3.6	0	0.0
Male and Female	31	5.4	17	3.9	0	0.0
Male and Transgender	0	0.0	0	0.0	0	0.0
Male, Female, and Transgender	3	0.5	0	0.0	0	0.0
Transgender	0	0.0	0	0.0	1	25.0
Refused	3	0.5	3	0.7	0	0.0
Unknown	40	7.0	62	14.1	1	25.0
Total	573	100.0	439	100.0	4	100.0

1. Participants were screened at 54 venues including consulates, garment, apparel districts, street corners, parks, and colleges. In most cases, participants were offered a choice of chlamydia/gonorrhea, syphilis, and/or HIV testing.

2. Cumulative percentages may not equal 100% due to rounding.

Table 6a. STD/HIV positivity by sexual orientation, Mobile Testing Unit¹, January-June 2006.

Category ²	Total Screened		Chlamydia			Gonorrhea			Early Syphilis ³			HIV		
			No. Tests	Positive Tests		No. Tests	Positive Tests		No. Tests	Positive Tests		No. Tests	Positive Tests	
	n	%		n	%		n	%		n	%		n	%
Total²	905	100.0	658	30	4.6	658	7	1.1	647	1	0.2	792	10	1.3
MSM	65	7.2	39	1	2.6	39	0	0.0	56	0	0.0	52	2	3.8
MSW/M	35	3.9	18	0	0.0	18	0	0.0	31	0	0.0	30	0	0.0
MSW	431	47.6	321	16	5.0	321	4	1.2	307	0	0.0	371	2	0.5
WSM	341	37.7	253	13	5.1	253	3	1.2	224	1	0.4	310	6	1.9
WSW/M	17	1.9	15	0	0.0	15	0	0.0	15	0	0.0	15	0	0.0
WSW	16	1.8	12	0	0.0	12	0	0.0	14	0	0.0	14	0	0.0

1. Participants were screened at 54 venues including consulates, garment, apparel districts, street corners, parks, and colleges.

In most cases, participants were offered a choice of chlamydia/gonorrhea, syphilis, and/or HIV testing.

2. Excludes those who refused or of unknown status

3. Primary, Secondary, and Early Latent Syphilis.

4. Cumulative percentages may not equal 100% due to rounding.

Table 6b. STD/HIV status of men who have sex with men (MSM)¹ screened by the Mobile Testing Unit², January-June 2006.

	Total Screened		Chlamydia			Gonorrhea			Early Syphilis ³			HIV		
			No. Tests	Positive Tests		No. Tests	Positive Tests		No. Tests	Positive Tests		No. Tests	Positive Tests	
	n	%		n	%		n	%		n	%		n	%
Total	100	100.0	57	1	1.8	57	0	0.0	87	0	0.0	82	2	2.4
Age Group														
12-14	0	0.0	--	--	--	--	--	--	--	--	--	--	--	--
15-19	2	2.0	2	0	0.0	2	0	0.0	1	0	0.0	2	0	0.0
20-24	10	10.0	6	1	16.7	6	0	0.0	7	0	0.0	9	0	0.0
25-29	11	11.0	7	0	0.0	7	0	0.0	10	0	0.0	7	0	0.0
30-34	10	10.0	8	0	0.0	8	0	0.0	9	0	0.0	9	0	0.0
35-39	20	20.0	11	0	0.0	11	0	0.0	18	0	0.0	17	2	11.8
40-44	13	13.0	9	0	0.0	9	0	0.0	11	0	0.0	9	0	0.0
45-49	11	11.0	5	0	0.0	5	0	0.0	10	0	0.0	9	0	0.0
50-54	4	4.0	1	0	0.0	1	0	0.0	3	0	0.0	3	0	0.0
55-59	6	6.0	2	0	0.0	2	0	0.0	6	0	0.0	4	0	0.0
60+	8	8.0	4	0	0.0	4	0	0.0	7	0	0.0	8	0	0.0
Missing	5	5.0	2	0	0.0	2	0	0.0	5	0	0.0	5	0	0.0
Race/Ethnicity														
Latino	46	46.0	25	0	0.0	25	0	0.0	39	0	0.0	35	1	2.9
African-American	20	20.0	17	0	0.0	17	0	0.0	18	0	0.0	17	1	5.9
White	25	25.0	11	0	0.0	11	0	0.0	22	0	0.0	21	0	0.0
Asian	7	7.0	3	1	33.3	3	0	0.0	6	0	0.0	7	0	0.0
American Indian	0	0.0	--	--	--	--	--	--	--	--	--	--	--	--
Native Hawaiian/Pacific Islander	1	1.0	1	0	0.0	1	0	0.0	1	0	0.0	1	0	0.0
Other/Mixed Race	1	1.0	--	--	--	--	--	--	1	0	0.0	1	0	0.0
Missing	0	0.0	--	--	--	--	--	--	--	--	--	--	--	--
Marital Status														
Single	85	85.0	53	1	1.9	53	0	0.0	74	0	0.0	68	2	2.9
Married	7	7.0	1	0	0.0	1	0	0.0	7	0	0.0	7	0	0.0
Divorced	1	1.0	--	--	--	--	--	--	--	--	--	1	0	0.0
Cohabitated	4	4.0	2	0	0.0	2	0	0.0	3	0	0.0	3	0	0.0
Widowed	1	1.0	--	--	--	--	--	--	1	0	0.0	1	0	0.0
Separated	2	2.0	1	0	0.0	1	0	0.0	2	0	0.0	2	0	0.0
Unknown	0	0.0	--	--	--	--	--	--	--	--	--	--	--	--
Month Tested														
January	15	15.0	9	0	0.0	9	0	0.0	14	0	0.0	14	0	0.0
February	19	19.0	10	0	0.0	10	0	0.0	17	0	0.0	13	1	7.7
March	17	17.0	7	1	14.3	7	0	0.0	14	0	0.0	15	0	0.0
April	20	20.0	7	0	0.0	7	0	0.0	16	0	0.0	19	0	0.0
May	17	17.0	13	0	0.0	13	0	0.0	17	0	0.0	15	1	6.7
June	12	12.0	11	0	0.0	11	0	0.0	9	0	0.0	6	0	0.0

1. Includes men who had sex with men (65), with men and women (31), with transgenders (0), with male and transgender (0), with women and transgender (1), and with men, women, and transgender (3).

2. Participants were screened at 54 venues including consulates, garment, apparel districts, street corners, parks, and colleges. In most cases, participants were offered a choice of chlamydia/gonorrhea, syphilis, and/or HIV testing.

3. Primary, Secondary, and Early Latent Syphilis.

4. Cumulative percentages may not equal 100% due to rounding.

Table 7. Summary of sexual transmitted infections and co-infections, Mobile Testing Unit¹, January - June 2006.

Disease	Positive Tests	
	n	%
Chlamydia	35	3.44
Gonorrhea	7	0.69
Syphilis ²	2	0.20
HIV	11	1.08
Chlamydia and Gonorrhea	4	0.55
Chlamydia and Syphilis ²	0	0.00
Chlamydia and HIV	0	0.00
Gonorrhea and Syphilis ²	0	0.00
Gonorrhea and HIV	0	0.00
Syphilis ² and HIV	0	0.00

1. Participants were screened at 54 venues including consulates, garment, apparel districts, street corners, parks, and colleges. In most cases, participants were offered a choice of chlamydia/gonorrhea, syphilis, and/or HIV testing.
2. Primary, Secondary, and Early Latent Syphilis.

Table 7a. Summary of sexual transmitted infections and co-infections among men who have sex with men (MSM)¹, Mobile Testing Unit², January-June 2006.

Disease	Positive Tests	
	n	%
Chlamydia	1	1.00
Gonorrhea	0	0.00
Syphilis ³	0	0.00
HIV	2	2.00
Chlamydia and Gonorrhea	0	0.00
Chlamydia and Syphilis ³	0	0.00
Chlamydia and HIV	0	0.00
Gonorrhea and Syphilis ³	0	0.00
Gonorrhea and HIV	0	0.00
Syphilis ³ and HIV	0	0.00

1. Includes men who had sex with men (65), with men and women (31), with transgenders (0), with male and transgender (0), with women and transgender (1), and with men, women, and transgender (3).

2. Participants were screened at 54 venues including consulates, garment, apparel districts, street corners, parks, and colleges. In most cases, participants were offered a choice of chlamydia/gonorrhea, syphilis, and/or HIV testing.

3. Primary, Secondary, and Early Latent Syphilis.

Table 8. STD/HIV positivity by venue type, Mobile Testing Unit¹, January-June 2006.

Venue by Category	Total Screened		Chlamydia			Gonorrhea			Early Syphilis ²			HIV		
	n	%	No. Tests	Positive Tests		No. Tests	Positive Tests		No. Tests	Positive Tests		No. Tests	Positive Tests	
				n	%		n	%		n	%		n	%
COMMUNITY COLLEGE	247	24.3	202	10	5.0	202	2	1.0	188	1	0.5	231	0	0.0
CONSULATE OUTREACH	0	0.0	--	--	--	--	--	--	--	--	--	--	--	--
DAY LABOR OUTREACH	82	8.1	68	1	1.5	68	1	1.5	56	0	0.0	55	0	0.0
DRUG AND ALCOHOL TREATMENT CENTER	28	2.8	28	1	3.6	28	0	0.0	25	0	0.0	27	0	0.0
HEALTH CENTERS	42	4.1	38	1	2.6	38	0	0.0	36	1	2.8	42	0	0.0
HIGH RISK AREA OUTREACH	506	49.8	313	19	6.1	313	3	1.0	329	0	0.0	440	8	1.8
PARKS AND RECREATION	20	2.0	15	2	13.3	15	1	6.7	13	0	0.0	17	0	0.0
OTHER	91	2.9	62	1	1.6	62	0	0.0	65	0	0.0	80	3	3.8
TOTAL	1,016	100.0	726	35	4.8	726	7	1.0	712	2	0.3	892	11	1.2

1. Participants were screened at 54 venues including consulates, garment, apparel districts, street corners, parks, and colleges. In most cases, participants were offered a choice of chlamydia/gonorrhea, syphilis, and/or HIV testing.

2. Primary, Secondary, and Early Latent Syphilis.

3. Cumulative percentages may not equal 100% due to rounding.

APPENDIX A: STD PROGRAM SURVEILLANCE REPORT REQUEST

To continue to receive sexually transmitted disease surveillance reports for Los Angeles County and other information from the STD Program, please fill out this form and fax or mail it in to the phone number and address provided. **This information will only be used by the STD Program to disseminate surveillance reports and other information to interested parties.** Please be sure to include,

- e-mail address,
- name and mailing address,
- and, phone number (to help us keep our distribution list updated)

<input type="checkbox"/>]MD <input type="checkbox"/>]PA/NP <input type="checkbox"/>]RN <input type="checkbox"/>]PhD <input type="checkbox"/>]Clinic Admin. <input type="checkbox"/>]Other:
--

First Name:	Last Name:	Title (i.e., Director, Coordinator, etc.):

Organization Name:	Street Address:

City:	State:	Zip Code:	Phone:

E-mail:	Type of Organization (i.e., CBO, MCO, OPP, etc.):

Please select the surveillance reports you would like to receive by checking off the appropriate boxes:

<input type="checkbox"/> All Surveillance and Special Reports from the STD Program <ul style="list-style-type: none"> <input type="checkbox"/> Annual STD Morbidity Report <input type="checkbox"/> Monthly Early Syphilis Surveillance Summary <input type="checkbox"/> Syphilis Elimination Weekly Activity Report (Available only via e-mail) <input type="checkbox"/> Special Morbidity and Project Reports (Periodic) <input type="checkbox"/> STD Treatment Updates (Periodic)

Fax to (No cover page needed): (213) 749-9606	OR	Mail to: Attn: Addie Simon STD Program 2615 S. Grand Avenue, Rm. 500 Los Angeles, CA 90007
---	----	---

**APPENDIX B: WHERE TO REPORT COMMUNICABLE DISEASES
IN LOS ANGELES COUNTY**

LABORATORY SLIP	CLINICIAN'S CMR	SEND REPORTS TO:
Syphilis Chlamydia Gonorrhea	Syphilis Chlamydia Gonorrhea Chancroid Non-gonococcal Urethritis Pelvic Inflammatory Disease	Sexually Transmitted Disease Program 2615 S. Grand Avenue, Rm. 450 Los Angeles, CA 90007 Telephone: 213-744-3070 Fax: 213-749-9602
AIDS HIV	AIDS HIV	HIV Epidemiology Program 600 S. Commonwealth Ave., Suite 805 Los Angeles, CA 90005 Telephone: 213-351-8516 Fax: 213-467-4683 http://lapublichealth.org/hiv/hivreporting.htm
Tuberculosis	Tuberculosis	Tuberculosis Control 2615 S. Grand Avenue, Rm. 507 Los Angeles, CA 90007 Telephone: 213-744-6271 Fax: 213-749-0926
Cryptosporidiosis Diphtheria Encephalitis arboviral <i>E. coli</i> O157:H7 Hepatitis A, acute Hepatitis B, acute Listeriosis Malaria Measles (Rubeola) Plague Rabies Typhoid <i>Vibrio</i> Species	List of reportable diseases: http://lapublichealth.org/acd/cdrs.htm	Acute Communicable Diseases Morbidity Unit 313 N. Figueroa St., Rm. 117 Los Angeles, CA 90012 Telephone: 213-240-7821 Call toll free: 888-397-3993 Fax toll free: 888-397-3778

REQUIRED INFORMATION ON THE CMR:

- ✓ **Patient Information:** Name, gender, ethnic group, date of birth, occupation, address, telephone number, social security number.
- ✓ **Diagnosis:** Diagnosis, date of diagnosis, date of onset.
- ✓ **Reporting Person:** Name, address, telephone number.



COUNTY OF LOS ANGELES
Public Health

Sexually Transmitted Disease Program

2615 South Grand Avenue, Room 500
Los Angeles, CA 90007
Tel: (213) 744-3070 Fax: (213) 749-9606

www.lapublichealth.org/std