


BMI - Baseline Random Sample (All Districts)

Summary of Children's BMI-for-Age


	Boys	Girls	Total
Number of children assessed:	215	227	442
Underweight (< 5th %ile)	3%	2%	2%
Normal BMI (5th - 85th %ile)	41%	43%	42%
Overweight or obese (\geq 85th %ile)*	56%	55%	55%
Obese (\geq 95th %ile)	34%	33%	34%

*Terminology based on: Barlow SE and the Expert Committee. Expert committee recommendations regarding the prevention, assessment, and treatment of child and adolescent overweight and obesity: summary report. Pediatrics. 2007;120 (suppl 4):s164-92.

Prevalence of Overweight and Obesity



Prevalence of Overweight and Obesity, by Sex




BMI - Alcott (Baseline)

Summary of Children's BMI-for-Age


	Boys	Girls	Total
Number of children assessed:	411	414	825
Underweight (< 5th %ile)	2%	2%	2%
Normal BMI (5th - 85th %ile)	46%	48%	47%
Overweight or obese (\geq 85th %ile)*	51%	50%	51%
Obese (\geq 95th %ile)	32%	34%	33%

*Terminology based on: Barlow SE and the Expert Committee. Expert committee recommendations regarding the prevention, assessment, and treatment of child and adolescent overweight and obesity: summary report. Pediatrics. 2007;120 (suppl 4):s164-92.

Prevalence of Overweight and Obesity



Prevalence of Overweight and Obesity, by Sex




BMI - Blair (Baseline)

Summary of Children's BMI-for-Age


	Boys	Girls	Total
Number of children assessed:	135	143	278
Underweight (< 5th %ile)	1%	1%	1%
Normal BMI (5th - 85th %ile)	52%	52%	52%
Overweight or obese (\geq 85th %ile)*	47%	47%	47%
Obese (\geq 95th %ile)	31%	28%	29%

*Terminology based on: Barlow SE and the Expert Committee. Expert committee recommendations regarding the prevention, assessment, and treatment of child and adolescent overweight and obesity: summary report. Pediatrics. 2007;120 (suppl 4):s164-92.

Prevalence of Overweight and Obesity



Prevalence of Overweight and Obesity, by Sex




BMI - Carver (Baseline)

Summary of Children's BMI-for-Age


	Boys	Girls	Total
Number of children assessed:	156	171	327
Underweight (< 5th %ile)	1%	2%	1%
Normal BMI (5th - 85th %ile)	46%	46%	46%
Overweight or obese (\geq 85th %ile)*	53%	52%	53%
Obese (\geq 95th %ile)	33%	30%	31%

*Terminology based on: Barlow SE and the Expert Committee. Expert committee recommendations regarding the prevention, assessment, and treatment of child and adolescent overweight and obesity: summary report. Pediatrics. 2007;120 (suppl 4):s164-92.

Prevalence of Overweight and Obesity



Prevalence of Overweight and Obesity, by Sex




BMI - Cleminson (Baseline)

Summary of Children's BMI-for-Age


	Boys	Girls	Total
Number of children assessed:	184	185	369
Underweight (< 5th %ile)	4%	3%	4%
Normal BMI (5th - 85th %ile)	52%	54%	53%
Overweight or obese (≥ 85th %ile)*	44%	43%	44%
Obese (≥ 95th %ile)	27%	21%	24%

*Terminology based on: Barlow SE and the Expert Committee. Expert committee recommendations regarding the prevention, assessment, and treatment of child and adolescent overweight and obesity: summary report. Pediatrics. 2007;120 (suppl 4):s164-92.

Prevalence of Overweight and Obesity



Prevalence of Overweight and Obesity, by Sex




BMI - Columbia (Baseline)

Summary of Children's BMI-for-Age


	Boys	Girls	Total
Number of children assessed:	14	10	24
Underweight (< 5th %ile)	0%	0%	0%
Normal BMI (5th - 85th %ile)	43%	40%	42%
Overweight or obese (≥ 85th %ile)*	57%	60%	58%
Obese (≥ 95th %ile)	29%	30%	29%

*Terminology based on: Barlow SE and the Expert Committee. Expert committee recommendations regarding the prevention, assessment, and treatment of child and adolescent overweight and obesity: summary report. Pediatrics. 2007;120 (suppl 4):s164-92.

Prevalence of Overweight and Obesity



Prevalence of Overweight and Obesity, by Sex




BMI - Cortada (Baseline)

Summary of Children's BMI-for-Age


	Boys	Girls	Total
Number of children assessed:	239	222	461
Underweight (< 5th %ile)	5%	5%	5%
Normal BMI (5th - 85th %ile)	43%	50%	46%
Overweight or obese (\geq 85th %ile)*	52%	45%	48%
Obese (\geq 95th %ile)	36%	32%	34%

*Terminology based on: Barlow SE and the Expert Committee. Expert committee recommendations regarding the prevention, assessment, and treatment of child and adolescent overweight and obesity: summary report. Pediatrics. 2007;120 (suppl 4):s164-92.

Prevalence of Overweight and Obesity



Prevalence of Overweight and Obesity, by Sex




BMI - Diamond Ranch (Baseline)

Summary of Children's BMI-for-Age


	Boys	Girls	Total
Number of children assessed:	433	373	806
Underweight (< 5th %ile)	1%	1%	1%
Normal BMI (5th - 85th %ile)	60%	61%	60%
Overweight or obese (≥ 85th %ile)*	39%	38%	39%
Obese (≥ 95th %ile)	23%	20%	21%

*Terminology based on: Barlow SE and the Expert Committee. Expert committee recommendations regarding the prevention, assessment, and treatment of child and adolescent overweight and obesity: summary report. Pediatrics. 2007;120 (suppl 4):s164-92.

Prevalence of Overweight and Obesity



Prevalence of Overweight and Obesity, by Sex



BMI - Durfee (Baseline)

Summary of Children's BMI-for-Age


	Boys	Girls	Total
Number of children assessed:	460	459	919
Underweight (< 5th %ile)	3%	3%	3%
Normal BMI (5th - 85th %ile)	52%	53%	52%
Overweight or obese (≥ 85th %ile)*	45%	45%	45%
Obese (≥ 95th %ile)	29%	22%	26%

*Terminology based on: Barlow SE and the Expert Committee. Expert committee recommendations regarding the prevention, assessment, and treatment of child and adolescent overweight and obesity: summary report. Pediatrics. 2007;120 (suppl 4):s164-92.

Prevalence of Overweight and Obesity



Prevalence of Overweight and Obesity, by Sex




BMI - Eliot (Baseline)

Summary of Children's BMI-for-Age


	Boys	Girls	Total
Number of children assessed:	299	266	565
Underweight (< 5th %ile)	2%	2%	2%
Normal BMI (5th - 85th %ile)	46%	51%	48%
Overweight or obese (\geq 85th %ile)*	52%	47%	50%
Obese (\geq 95th %ile)	31%	27%	29%

*Terminology based on: Barlow SE and the Expert Committee. Expert committee recommendations regarding the prevention, assessment, and treatment of child and adolescent overweight and obesity: summary report. Pediatrics. 2007;120 (suppl 4):s164-92.

Prevalence of Overweight and Obesity



Prevalence of Overweight and Obesity, by Sex




BMI - Ganesha (Baseline)

Summary of Children's BMI-for-Age


	Boys	Girls	Total
Number of children assessed:	273	261	534
Underweight (< 5th %ile)	3%	3%	3%
Normal BMI (5th - 85th %ile)	52%	54%	53%
Overweight or obese (\geq 85th %ile)*	45%	43%	44%
Obese (\geq 95th %ile)	29%	20%	25%

*Terminology based on: Barlow SE and the Expert Committee. Expert committee recommendations regarding the prevention, assessment, and treatment of child and adolescent overweight and obesity: summary report. Pediatrics. 2007;120 (suppl 4):s164-92.

Prevalence of Overweight and Obesity



Prevalence of Overweight and Obesity, by Sex




BMI - Gidley (Baseline)

Summary of Children's BMI-for-Age


	Boys	Girls	Total
Number of children assessed:	261	237	498
Underweight (< 5th %ile)	3%	2%	3%
Normal BMI (5th - 85th %ile)	46%	51%	48%
Overweight or obese (\geq 85th %ile)*	51%	47%	49%
Obese (\geq 95th %ile)	32%	31%	32%

*Terminology based on: Barlow SE and the Expert Committee. Expert committee recommendations regarding the prevention, assessment, and treatment of child and adolescent overweight and obesity: summary report. Pediatrics. 2007;120 (suppl 4):s164-92.

Prevalence of Overweight and Obesity



Prevalence of Overweight and Obesity, by Sex




BMI - LeGore (Baseline)

Summary of Children's BMI-for-Age


	Boys	Girls	Total
Number of children assessed:	298	262	560
Underweight (< 5th %ile)	1%	2%	1%
Normal BMI (5th - 85th %ile)	54%	48%	51%
Overweight or obese (≥ 85th %ile)*	45%	50%	47%
Obese (≥ 95th %ile)	32%	28%	30%

*Terminology based on: Barlow SE and the Expert Committee. Expert committee recommendations regarding the prevention, assessment, and treatment of child and adolescent overweight and obesity: summary report. Pediatrics. 2007;120 (suppl 4):s164-92.

Prevalence of Overweight and Obesity



Prevalence of Overweight and Obesity, by Sex




BMI - Lopez (Baseline)

Summary of Children's BMI-for-Age


	Boys	Girls	Total
Number of children assessed:	31	29	60
Underweight (< 5th %ile)	10%	3%	7%
Normal BMI (5th - 85th %ile)	39%	31%	35%
Overweight or obese (\geq 85th %ile)*	52%	66%	58%
Obese (\geq 95th %ile)	35%	45%	40%

*Terminology based on: Barlow SE and the Expert Committee. Expert committee recommendations regarding the prevention, assessment, and treatment of child and adolescent overweight and obesity: summary report. Pediatrics. 2007;120 (suppl 4):s164-92.

Prevalence of Overweight and Obesity



Prevalence of Overweight and Obesity, by Sex




BMI - Madison (Baseline)

Summary of Children's BMI-for-Age


	Boys	Girls	Total
Number of children assessed:	332	271	603
Underweight (< 5th %ile)	1%	2%	1%
Normal BMI (5th - 85th %ile)	46%	50%	48%
Overweight or obese (≥ 85th %ile)*	53%	48%	51%
Obese (≥ 95th %ile)	36%	30%	33%

*Terminology based on: Barlow SE and the Expert Committee. Expert committee recommendations regarding the prevention, assessment, and treatment of child and adolescent overweight and obesity: summary report. Pediatrics. 2007;120 (suppl 4):s164-92.

Prevalence of Overweight and Obesity



Prevalence of Overweight and Obesity, by Sex




BMI - Maxson (Baseline)

Summary of Children's BMI-for-Age


	Boys	Girls	Total
Number of children assessed:	6	5	11
Underweight (< 5th %ile)	17%	0%	9%
Normal BMI (5th - 85th %ile)	33%	40%	36%
Overweight or obese (≥ 85th %ile)*	50%	60%	55%
Obese (≥ 95th %ile)	33%	40%	36%

*Terminology based on: Barlow SE and the Expert Committee. Expert committee recommendations regarding the prevention, assessment, and treatment of child and adolescent overweight and obesity: summary report. Pediatrics. 2007;120 (suppl 4):s164-92.

Prevalence of Overweight and Obesity



Prevalence of Overweight and Obesity, by Sex




BMI - McKinley (Baseline)

Summary of Children's BMI-for-Age


	Boys	Girls	Total
Number of children assessed:	4	8	12
Underweight (< 5th %ile)	0%	0%	0%
Normal BMI (5th - 85th %ile)	50%	50%	50%
Overweight or obese (\geq 85th %ile)*	50%	50%	50%
Obese (\geq 95th %ile)	25%	25%	25%

*Terminology based on: Barlow SE and the Expert Committee. Expert committee recommendations regarding the prevention, assessment, and treatment of child and adolescent overweight and obesity: summary report. Pediatrics. 2007;120 (suppl 4):s164-92.

Prevalence of Overweight and Obesity



Prevalence of Overweight and Obesity, by Sex




BMI - McNair (Baseline)

Summary of Children's BMI-for-Age


	Boys	Girls	Total
Number of children assessed:	209	170	379
Underweight (< 5th %ile)	3%	4%	3%
Normal BMI (5th - 85th %ile)	47%	49%	48%
Overweight or obese (≥ 85th %ile)*	49%	47%	48%
<i>Obese (≥ 95th %ile)</i>	32%	26%	30%

*Terminology based on: Barlow SE and the Expert Committee. Expert committee recommendations regarding the prevention, assessment, and treatment of child and adolescent overweight and obesity: summary report. Pediatrics. 2007;120 (suppl 4):s164-92.

Prevalence of Overweight and Obesity



Prevalence of Overweight and Obesity, by Sex




BMI - Miramonte (Baseline)

Summary of Children's BMI-for-Age


	Boys	Girls	Total
Number of children assessed:	274	270	544
Underweight (< 5th %ile)	4%	2%	3%
Normal BMI (5th - 85th %ile)	46%	55%	50%
Overweight or obese (\geq 85th %ile)*	50%	43%	47%
Obese (\geq 95th %ile)	34%	25%	30%

*Terminology based on: Barlow SE and the Expert Committee. Expert committee recommendations regarding the prevention, assessment, and treatment of child and adolescent overweight and obesity: summary report. Pediatrics. 2007;120 (suppl 4):s164-92.

Prevalence of Overweight and Obesity



Prevalence of Overweight and Obesity, by Sex




BMI - Palomares (Baseline)

Summary of Children's BMI-for-Age


	Boys	Girls	Total
Number of children assessed:	29	20	49
Underweight (< 5th %ile)	0%	0%	0%
Normal BMI (5th - 85th %ile)	45%	55%	49%
Overweight or obese (\geq 85th %ile)*	55%	45%	51%
Obese (\geq 95th %ile)	31%	25%	29%

*Terminology based on: Barlow SE and the Expert Committee. Expert committee recommendations regarding the prevention, assessment, and treatment of child and adolescent overweight and obesity: summary report. Pediatrics. 2007;120 (suppl 4):s164-92.

Prevalence of Overweight and Obesity



Prevalence of Overweight and Obesity, by Sex




BMI - Parkview (Baseline)

Summary of Children's BMI-for-Age


	Boys	Girls	Total
Number of children assessed:	29	35	64
Underweight (< 5th %ile)	3%	3%	3%
Normal BMI (5th - 85th %ile)	21%	31%	27%
Overweight or obese (≥ 85th %ile)*	76%	66%	70%
Obese (≥ 95th %ile)	45%	40%	42%

*Terminology based on: Barlow SE and the Expert Committee. Expert committee recommendations regarding the prevention, assessment, and treatment of child and adolescent overweight and obesity: summary report. Pediatrics. 2007;120 (suppl 4):s164-92.

Prevalence of Overweight and Obesity



Prevalence of Overweight and Obesity, by Sex




BMI - Potrero (Baseline)

Summary of Children's BMI-for-Age


	Boys	Girls	Total
Number of children assessed:	487	418	905
Underweight (< 5th %ile)	2%	3%	2%
Normal BMI (5th - 85th %ile)	40%	47%	43%
Overweight or obese (\geq 85th %ile)*	58%	50%	54%
Obese (\geq 95th %ile)	38%	31%	35%

*Terminology based on: Barlow SE and the Expert Committee. Expert committee recommendations regarding the prevention, assessment, and treatment of child and adolescent overweight and obesity: summary report. Pediatrics. 2007;120 (suppl 4):s164-92.

Prevalence of Overweight and Obesity



Prevalence of Overweight and Obesity, by Sex




BMI - Shirpsr (Baseline)

Summary of Children's BMI-for-Age


	Boys	Girls	Total
Number of children assessed:	101	97	198
Underweight (< 5th %ile)	3%	3%	3%
Normal BMI (5th - 85th %ile)	37%	49%	43%
Overweight or obese (\geq 85th %ile)*	60%	47%	54%
Obese (\geq 95th %ile)	41%	29%	35%

*Terminology based on: Barlow SE and the Expert Committee. Expert committee recommendations regarding the prevention, assessment, and treatment of child and adolescent overweight and obesity: summary report. Pediatrics. 2007;120 (suppl 4):s164-92.

Prevalence of Overweight and Obesity



Prevalence of Overweight and Obesity, by Sex




BMI - Voorhis (Baseline)

Summary of Children's BMI-for-Age


	Boys	Girls	Total
Number of children assessed:	228	214	442
Underweight (< 5th %ile)	4%	2%	3%
Normal BMI (5th - 85th %ile)	40%	45%	43%
Overweight or obese (\geq 85th %ile)*	56%	52%	54%
Obese (\geq 95th %ile)	41%	35%	38%

*Terminology based on: Barlow SE and the Expert Committee. Expert committee recommendations regarding the prevention, assessment, and treatment of child and adolescent overweight and obesity: summary report. Pediatrics. 2007;120 (suppl 4):s164-92.

Prevalence of Overweight and Obesity



Prevalence of Overweight and Obesity, by Sex



BMI - Wilkerson (Baseline)

Summary of Children's BMI-for-Age


	Boys	Girls	Total
Number of children assessed:	286	259	545
Underweight (< 5th %ile)	1%	2%	1%
Normal BMI (5th - 85th %ile)	43%	48%	46%
Overweight or obese (≥ 85th %ile)*	56%	50%	53%
Obese (≥ 95th %ile)	35%	32%	33%

*Terminology based on: Barlow SE and the Expert Committee. Expert committee recommendations regarding the prevention, assessment, and treatment of child and adolescent overweight and obesity: summary report. Pediatrics. 2007;120 (suppl 4):s164-92.

Prevalence of Overweight and Obesity



Prevalence of Overweight and Obesity, by Sex




BMI - Wilson (Baseline)

Summary of Children's BMI-for-Age


	Boys	Girls	Total
Number of children assessed:	331	318	649
Underweight (< 5th %ile)	2%	1%	1%
Normal BMI (5th - 85th %ile)	47%	44%	46%
Overweight or obese (\geq 85th %ile)*	50%	56%	53%
Obese (\geq 95th %ile)	31%	32%	32%

*Terminology based on: Barlow SE and the Expert Committee. Expert committee recommendations regarding the prevention, assessment, and treatment of child and adolescent overweight and obesity: summary report. Pediatrics. 2007;120 (suppl 4):s164-92.

Prevalence of Overweight and Obesity



Prevalence of Overweight and Obesity, by Sex




BMI - Wright (Baseline)

Summary of Children's BMI-for-Age

	Boys	Girls	Total
Number of children assessed:	526	493	1019
Underweight (< 5th %ile)	0%	1%	0%
Normal BMI (5th - 85th %ile)	41%	54%	47%
Overweight or obese (\geq 85th %ile)*	58%	46%	52%
Obese (\geq 95th %ile)	39%	25%	32%

*Terminology based on: Barlow SE and the Expert Committee. Expert committee recommendations regarding the prevention, assessment, and treatment of child and adolescent overweight and obesity: summary report. Pediatrics. 2007;120 (suppl 4):s164-92.

Prevalence of Overweight and Obesity



Prevalence of Overweight and Obesity, by Sex

