

TABLE 1. DIAGNOSES, DEATHS, AND PERSONS LIVING WITH
DIAGNOSED HIV INFECTION AND STAGE 3 (AIDS) BY YEAR
REPORTED BY DECEMBER 31, 2014
LOS ANGELES COUNTY

Year	Diagnoses of Stage 3 (AIDS)	Diagnoses of HIV Infection ¹	Deaths Occurred ²	Living with Stage 3(AIDS) ³	Living with HIV infection ⁴
1982-1990	13986		8944	5044	13926
1991	3986		2386	6644	16254
1992	4137		2578	8202	17772
1993	3931		2665	9469	18666
1994	3672		2838	10303	18926
1995	3462		2713	11056	19107
1996	2793		1811	12044	20174
1997	2184		932	13299	21769
1998	1943		759	14484	23377
1999	1826		766	15546	24898
2000	1791		654	16686	26702
2001	1731		768	17664	28297
2002	1871	2496	717	18850	30076
2003	1782	2297	726	19964	31647
2004	1538	2152	775	20800	33024
2005	1451	2176	737	21595	34463
2006	1387	2723	725	22357	36461
2007	1208	2756	664	23011	38553
2008	1412	2411	716	23848	40248
2009	1466	2233	649	24773	41832
2010	1215	2161	602	25491	43391
2011	1003	1997	592	26029	44797
2012(5)	1098	2012	593	26648	46216
2013(5)	943	1820	489	27192	47547
2014(5)	614	1590	228	27603	48908
Cumulative	62430		36027		

1. Code-based HIV reporting was implemented from July 1, 2002 to April 17, 2006, and name-based reporting started since April 17, 2006 in California. Data are based on named reports for persons with a diagnosis of HIV infection regardless of the disease stage at time of diagnosis.
2. The number of deaths among persons with diagnosed HIV infection is based on the date of death report when the actual year of death is unknown.
3. Includes persons living with stage 3(AIDS) at the end of each year.
4. Includes persons living with diagnosed HIV infection at the end of each year.
5. Data are provisional due to reporting delay.

TABLE 2. CUMULATIVE NUMBER OF PERSONS REPORTED WITH AN HIV DIAGNOSIS BY GENDER, AGE, AND RACE/ETHNICITY
 REPORTED BY DECEMBER 31, 2014
 LOS ANGELES COUNTY

Age at Diagnosis (years)	Race/Ethnicity					
	White No. (%)	Black No. (%)	Hispanic/Latino No. (%)	Asian/PI (1) No. (%)	AI/AN (2) No. (%)	Total (3) No. (%)
MALE						
<13	59 (<1)	92 (1)	129 (<1)	6 (<1)	<5 (-)	293 (<1)
13-19	244 (1)	395 (3)	663 (2)	34 (2)	12 (3)	1379 (2)
20-29	6269 (20)	3831 (27)	8536 (32)	540 (26)	122 (35)	19608 (26)
30-39	13166 (41)	5262 (37)	10512 (39)	824 (40)	126 (36)	30309 (40)
40-49	8177 (26)	3266 (23)	4964 (18)	479 (23)	66 (19)	17212 (22)
50-59	3058 (10)	1139 (8)	1542 (6)	149 (7)	18 (5)	5992 (8)
60+	952 (3)	317 (2)	499 (2)	40 (2)	<5 (-)	1840 (2)
Male subtotal	31925	14302	26845	2072	351	76633
[% of subtotal]	[42]	[19]	[35]	[3]	[<1]	[100]
FEMALE						
<13	35 (2)	80 (3)	130 (4)	7 (3)	<5 (-)	255 (3)
13-19	42 (3)	128 (4)	155 (5)	<5 (-)	<5 (-)	334 (4)
20-29	344 (23)	740 (24)	1013 (30)	44 (20)	14 (28)	2184 (26)
30-39	485 (33)	1009 (33)	1020 (30)	78 (36)	12 (24)	2643 (32)
40-49	330 (22)	693 (23)	575 (17)	49 (23)	16 (32)	1687 (20)
50-59	158 (11)	339 (11)	339 (10)	24 (11)	<5 (-)	882 (11)
60+	95 (6)	82 (3)	125 (4)	10 (5)	<5 (-)	317 (4)
Female subtotal	1489	3071	3357	216	50	8302
[% of subtotal]	[18]	[37]	[40]	[3]	[1]	[100]
BOTH						
<13	94 (<1)	172 (1)	259 (1)	13 (1)	<5 (-)	548 (1)
13-19	286 (1)	523 (3)	818 (3)	38 (2)	13 (3)	1713 (2)
20-29	6613 (20)	4571 (26)	9549 (32)	584 (26)	136 (34)	21792 (26)
30-39	13651 (41)	6271 (36)	11532 (38)	902 (39)	138 (34)	32952 (39)
40-49	8507 (25)	3959 (23)	5539 (18)	528 (23)	82 (20)	18899 (22)
50-59	3216 (10)	1478 (9)	1881 (6)	173 (8)	22 (5)	6874 (8)
60+	1047 (3)	399 (2)	624 (2)	50 (2)	6 (1)	2157 (3)
Total	33414	17373	30202	2288	401	84935
[% of total]	[39]	[20]	[36]	[3]	[<1]	[100]

1. Includes 18 Burmese, 89 Cambodian, 212 Chinese, 555 Filipino, 17 Guamanian, 35 Hawaiian, 41 Asian Indian, 39 Indonesian, 175 Japanese, 95 Korean, <5 Laotian, 15 Malayan, 17 Pacific Islander, 5 Pakistani, 35 Samoan, 7 Singaporean, <5 Bangladeshi, 7 Sri Lankan, 5 East Indian, <5 Tahitian, 51 Taiwanese, 156 Thai, <5 Tongan, and 174 Vietnamese; 529 are of unknown Asian ethnicity.

2. AI/AN=American Indian/Alaska Native.

3. Total includes persons who have multiple races/ethnicities or have missing information on race/ethnicity.

TABLE 3. CUMULATIVE NUMBER OF ADULTS/ADOLESCENTS REPORTED WITH AN HIV DIAGNOSIS
 BY GENDER, TRANSMISSION CATEGORY, AND RACE/ETHNICITY
 REPORTED BY DECEMBER 31, 2014
 LOS ANGELES COUNTY

Adult/Adolescent Transmission Category (1)	Race/Ethnicity					
	White No. (%)	Black No. (%)	Hispanic/Latino No. (%)	Asian/PI No. (%)	AI/AN (2) No. (%)	Total (3) No. (%)
MALE						
Male-male sexual contact	27987 (88)	11070 (78)	23040 (86)	1899 (92)	261 (75)	65171 (85)
Injection drug user (IDU)	931 (3)	1278 (9)	1197 (4)	32 (2)	16 (5)	3519 (5)
Male-male sexual contact/IDU	2532 (8)	1331 (9)	1645 (6)	71 (3)	65 (19)	5779 (8)
Hemophilia/coagulation disorder	91 (<1)	23 (<1)	39 (<1)	9 (<1)	<5 (-)	163 (<1)
Heterosexual contact	201 (1)	472 (3)	728 (3)	40 (2)	<5 (-)	1463 (2)
Transfusion recipient	125 (<1)	36 (<1)	67 (<1)	16 (1)	<5 (-)	245 (<1)
Male subtotal	31866	14210	26716	2066	347	76340
[% of subtotal]	[42]	[19]	[35]	[3]	[<1]	[100]
FEMALE						
Injection drug user (IDU)	589 (40)	920 (31)	546 (17)	26 (13)	20 (41)	2147 (27)
Hemophilia/coagulation disorder	8 (1)	5 (<1)	5 (<1)	<5 (-)	<5 (-)	20 (<1)
Heterosexual contact	786 (54)	2023 (68)	2609 (81)	172 (82)	29 (57)	5687 (71)
Transfusion recipient	69 (5)	42 (1)	67 (2)	11 (5)	<5 (-)	190 (2)
Perinatal exposure	<5 (-)	<5 (-)	<5 (-)	<5 (-)	<5 (-)	<5 (-)
Other/Undetermined	<5 (-)	<5 (-)	<5 (-)	<5 (-)	<5 (-)	<5 (-)
Female subtotal	1454	2991	3227	209	50	8047
[% of subtotal]	[18]	[37]	[40]	[3]	[1]	[100]
BOTH						
Male-male sexual contact	27987 (84)	11070 (64)	23040 (77)	1899 (83)	261 (66)	65171 (77)
Injection drug user (IDU)	1520 (5)	2198 (13)	1743 (6)	58 (3)	37 (9)	5667 (7)
Male-male sexual contact/IDU	2532 (8)	1331 (8)	1645 (5)	71 (3)	65 (16)	5779 (7)
Hemophilia/coagulation disorder	99 (<1)	28 (<1)	44 (<1)	9 (<1)	<5 (-)	183 (<1)
Heterosexual contact	987 (3)	2495 (15)	3336 (11)	212 (9)	31 (8)	7150 (8)
Transfusion recipient	194 (1)	78 (<1)	134 (<1)	27 (1)	<5 (-)	435 (1)
Perinatal exposure	<5 (-)	<5 (-)	<5 (-)	<5 (-)	<5 (-)	<5 (-)
Other/Undetermined	<5 (-)	<5 (-)	<5 (-)	<5 (-)	<5 (-)	<5 (-)
Total	33320	17201	29943	2275	397	84387
[% of total]	[39]	[20]	[35]	[3]	[<1]	[100]

1. Persons without an identified risk factor are assigned a risk factor using multiple imputation (MI) methods (see Technical Notes).
2. AI/AN=American Indian/Alaska Native.
3. Total includes persons who have multiple races/ethnicities or have missing information on race/ethnicity.

TABLE 4. CUMULATIVE NUMBER OF CHILDREN <13 YEARS OF AGE REPORTED WITH AN HIV DIAGNOSIS
 BY TRANSMISSION CATEGORY, AND RACE/ETHNICITY
 REPORTED BY DECEMBER 31, 2014
 LOS ANGELES COUNTY

Pediatric (<13 years) Transmission Category (1)	Race/Ethnicity					Total No. (%)
	White No. (%)	Black No. (%)	Hispanic/Latino No. (%)	Other (2) No. (%)		
Perinatal exposure	51 (54)	143 (83)	201 (78)	8 (47)	406 (74)	
Hemophilia or coagulation disorder	14 (15)	2 (1)	12 (5)	2 (12)	30 (5)	
Transfusion recipient	27 (29)	23 (13)	33 (13)	7 (41)	92 (17)	
Other/Undetermined	2 (2)	4 (2)	13 (5)	0 (0)	20 (4)	
Total	94	172	259	17	548	
[% of total]	[17]	[31]	[47]	[3]	[100]	

1. See Technical Notes for information on transmission category.
2. Other includes Asian, Pacific Islander, American Indian and Alaskan Native.

TABLE 5. HIV DIAGNOSES AMONG CHILDREN <13 YEARS OF AGE BY RACE/ETHNICITY, TRANSMISSION CATEGORY, AND YEAR OF HIV DIAGNOSIS
 REPORTED BY DECEMBER 31, 2014
 LOS ANGELES COUNTY

Pediatric (<13 years)	Year of Diagnosis (1)									
	2004 No. (%)	2005 No. (%)	2006 No. (%)	2007 No. (%)	2008 No. (%)	2009 No. (%)	2010 No. (%)	2011 No. (%)	2012 (2) No. (%)	2013 (2) No. (%)
RACE/ETHNICITY										
White	1 (13)	1 (25)	3 (43)	1 (17)	0 (0)	0 (-)	2 (22)	0 (0)	1 (33)	1 (33)
Black	3 (38)	1 (25)	2 (29)	3 (50)	1 (33)	0 (-)	3 (33)	2 (100)	2 (67)	1 (33)
Hispanic/Latino	3 (38)	1 (25)	2 (29)	2 (33)	1 (33)	0 (-)	3 (33)	0 (0)	0 (0)	1 (33)
Other(3)	1 (13)	1 (25)	0 (0)	0 (0)	1 (33)	0 (-)	1 (11)	0 (0)	0 (0)	0 (0)
TRANSMISSION CATEGORY(4)										
Perinatal exposure(5)	8 (100)	4 (100)	7 (100)	6 (100)	3 (100)	0 (-)	9 (100)	2 (100)	3 (100)	3 (100)
COUNTRY OF BIRTH										
US Born	6 (75)	2 (50)	4 (57)	3 (50)	2 (67)	0 (-)	2 (22)	1 (50)	0 (0)	2 (67)
Foreign Born	2 (25)	2 (50)	3 (43)	3 (50)	1 (33)	0 (-)	7 (78)	1 (50)	3 (100)	1 (33)
Total	8 (18)	4 (100)	7 (100)	6 (100)	3 (100)	0 (-)	9 (100)	2 (100)	3 (100)	3 (100)

1. Year of diagnosis may not indicate year of birth.
2. Data are provisional due to reporting delay.
3. Other includes persons who are Asian, Pacific Islander, American Indian and Alaskan Native or have multiple races/ethnicities.
4. See Technical Notes for information on transmission category.
5. Perinatally exposed cases might not be new births occurred in Los Angeles County.

TABLE 6. HIV DIAGNOSES AND RATES PER 100,000 (1,2) BY YEAR OF HIV DIAGNOSIS AND CITY/AREA (3) OF RESIDENCE
TOP 35 CITIES/AREAS (4) RANKED BY 2013 RATE, REPORTED BY DECEMBER 31, 2014
LOS ANGELES COUNTY

City/Area	Year of Diagnosis				
	2009 No. (Rate)	2010 No. (Rate)	2011 No. (Rate)	2012 (1) No. (Rate)	2013 (1) No. (Rate)
West Hollywood	87 (252.6)	105 (304.9)	81 (233.8)	70 (203.0)	67 (191.2)
Wholesale (5)	175 (312.9)	128 (228.9)	69 (123.7)	72 (127.4)	70 (123.7)
Downtown	21 (76.9)	24 (87.8)	14 (51.6)	27 (97.7)	21 (76.1)
Hollywood	209 (96.3)	203 (93.5)	229 (105.6)	196 (90.0)	159 (72.3)
Westmont / West Athens	8 (20.0)	16 (40.0)	11 (27.5)	10 (25.0)	22 (54.4)
Westlake	43 (34.5)	43 (34.5)	47 (37.6)	74 (59.2)	66 (51.3)
Silverlake/Chinatown	37 (52.1)	36 (50.6)	34 (47.6)	32 (44.7)	36 (49.5)
Crenshaw	37 (52.3)	32 (45.3)	22 (31.1)	28 (39.9)	29 (40.7)
Boyle Heights	26 (31.0)	33 (39.3)	23 (27.4)	26 (31.1)	32 (37.6)
S Vermont	38 (36.8)	33 (32.0)	28 (26.9)	29 (27.5)	39 (36.7)
Wilshire Center N	31 (43.5)	28 (39.3)	20 (27.9)	29 (40.2)	24 (32.3)
Wilshire Center S	30 (36.6)	33 (40.3)	32 (38.8)	26 (31.1)	27 (31.8)
Miracle Mile S	11 (23.2)	31 (65.3)	16 (33.5)	19 (39.2)	15 (31.1)
Miracle Mile N	19 (41.5)	23 (50.2)	14 (30.4)	21 (44.8)	14 (29.7)
Hawaiian Gardens	<5 (-)	<5 (-)	<5 (-)	<5 (-)	5 (29.2)
Long Beach	179 (38.2)	149 (31.8)	160 (34.1)	187 (39.9)	136 (28.6)
North Hollywood	39 (31.3)	36 (28.9)	43 (34.3)	52 (41.1)	36 (28.1)
W Adams-Expo Park	33 (25.8)	38 (29.7)	44 (34.2)	43 (32.8)	34 (25.8)
Adams-La Brea	24 (43.5)	26 (47.1)	17 (30.6)	14 (24.9)	14 (24.8)
Lincoln Heights	14 (30.8)	9 (19.8)	10 (22.0)	12 (26.0)	11 (23.7)
Willowbrook	8 (21.4)	16 (42.8)	13 (34.7)	<5 (-)	9 (23.7)
Hawthorne	14 (16.1)	17 (19.5)	18 (20.5)	21 (23.9)	21 (23.6)
Central Av-South Park	26 (20.5)	19 (15.0)	25 (19.4)	29 (21.9)	31 (23.2)
Inglewood	36 (32.8)	37 (33.7)	34 (30.8)	36 (32.3)	25 (22.3)
West Carson	5 (17.7)	<5 (-)	<5 (-)	5 (17.7)	6 (21.0)
Altadena	7 (16.2)	5 (11.6)	5 (11.6)	<5 (-)	9 (20.9)
Green Meadows	19 (31.9)	15 (25.2)	13 (21.5)	15 (24.6)	13 (20.9)
Beverly Hills	8 (23.4)	11 (32.2)	6 (17.5)	12 (34.3)	7 (20.2)
Watts	9 (22.7)	8 (20.2)	13 (32.3)	6 (14.8)	8 (19.2)
El Sereno	10 (21.4)	12 (25.6)	5 (10.7)	5 (10.4)	9 (19.0)
Westchester	7 (14.6)	7 (14.6)	6 (12.4)	8 (16.4)	9 (18.3)
Sun Valley	14 (19.0)	11 (14.9)	11 (14.8)	9 (12.0)	14 (18.3)
Industry	<5 (-)	<5 (-)	<5 (-)	6 (21.6)	5 (18.0)
Vermont Square	36 (45.6)	35 (44.3)	23 (28.8)	17 (20.8)	14 (17.2)
Los Feliz	23 (57.5)	11 (27.5)	13 (32.3)	18 (43.8)	7 (17.2)

1. Data are provisional due to reporting delay.
2. Rates for 2010-2013 are based on Census 2010 population estimates for 2010-2013. Rates for 2009 are calculated using population estimates for 2010. Rates based on observation fewer than 12 may not be reliable (see Technical Notes).
3. The city of Los Angeles is broken down into "areas" or geographic units with more than 15,000 residents. Cities and areas are approximately defined by aggregating the associated Census tracts based on the location of their centroid.
4. Includes cities and areas that had more than 15,000 residents and at least 5 persons diagnosed with HIV in 2013.
5. Includes persons diagnosed with HIV during incarceration at Los Angeles County Central Jail.

TABLE 7. NEW HIV DIAGNOSES IN 2011-2013, PERSONS LIVING WITH DIAGNOSED HIV INFECTION, AND CUMULATIVE HIV CASES AMONG AMERICAN INDIANS/ALASKAN NATIVES BY GENDER, AGE, AND TRANSMISSION CATEGORY REPORTED BY DECEMBER 31, 2014
LOS ANGELES COUNTY

	HIV Diagnoses, 2011-2013(1)		Living with HIV, 2014(1)		Cumulative, 1982-2014(1)	
	AI/AN(2)	Other Race(3)	AI/AN(2)	Other Race(3)	AI/AN(2)	Other Race(3)
	No. (%)	No. (%)	No. (%)	No. (%)	No. (%)	No. (%)
GENDER						
Male	31 (89)	5185 (89)	214 (90)	43168 (89)	351 (88)	76282 (90)
Female	<5 (-)	609 (11)	25 (10)	5501 (11)	50 (12)	8252 (10)
AGE GROUP(4)						
<30	18 (51)	2152 (37)	29 (12)	4099 (8)	153 (38)	23900 (28)
30-49	13 (37)	2881 (50)	123 (51)	22855 (47)	220 (55)	51631 (61)
50+	<5 (-)	761 (13)	87 (36)	21715 (45)	28 (7)	9003 (11)
TRANSMISSION CATEGORY(5)						
MSM	28 (79)	4866 (84)	163 (68)	37846 (78)	261 (65)	64910 (77)
IDU	<5 (-)	222 (4)	12 (5)	2458 (5)	37 (9)	5630 (7)
MSM/IDU	<5 (-)	169 (3)	40 (17)	2895 (6)	65 (16)	5713 (7)
Heterosexual contact	<5 (-)	530 (9)	19 (8)	5052 (10)	31 (8)	7119 (8)
Other/Undetermined(6)	<5 (-)	8 (<1)	<5 (-)	418 (1)	7 (2)	1162 (1)
Total	35 (100)	5794 (100)	239 (100)	48669 (100)	401 (100)	84534 (100)

1. Data are provisional due to reporting delay.
2. A person is considered to be American Indian/Alaskan Native if he/she is identified as an AI/AN in one of the race fields and there is no indication of Hispanic ethnicity.
3. Other race includes white, black, Hispanic/Latino, Asian/Pacific Islander, and persons with multiple or missing information on race/ethnicity.
4. For HIV diagnoses in 2011-2013 and cumulative cases, age is at the time of HIV diagnosis. For persons living with diagnosed HIV infection, age is as of December 31, 2014.
5. Persons without an identified risk factor are assigned a risk factor using multiple imputation (MI) methods (see Technical Notes).
6. Other risks include hemophilia or coagulation disorder, transfusion recipient, perinatal exposure and confirmed other risk.

TABLE 8. NEW HIV DIAGNOSES IN 2011 AND RATES PER 100,000 (1) BY GENDER, AGE, RACE/ETHNICITY, TRANSMISSION CATEGORY, AND SERVICE PLANNING AREA (SPA)
 REPORTED BY DECEMBER 31, 2014, LOS ANGELES COUNTY

Service Planning Area	Antelope Valley No. (%) Rate	San Fernando No. (%) Rate	San Gabriel No. (%) Rate	Metro No. (%) Rate	West No. (%) Rate	South No. (%) Rate	East No. (%) Rate	South Bay/LB No. (%) Rate	Total (2) No. (%) Rate
GENDER (3)									
Male	31 (82) 16	242 (88) 23	138 (90) 16	616 (94) 107	93 (91) 30	236 (85) 48	160 (90) 25	265 (86) 35	1792 (90) 37
Female	7 (18) 4	32 (12) 3	15 (10) 2	36 (6) 7	9 (9) 3	43 (15) 8	18 (10) 3	43 (14) 6	205 (10) 4
AGE GROUP									
<30	7 (18) 4	89 (32) 10	55 (36) 8	230 (35) 52	30 (29) 13	111 (40) 21	67 (38) 11	129 (42) 20	725 (36) 17
30-39	9 (24) 19	84 (31) 28	38 (25) 17	215 (33) 105	32 (31) 30	84 (30) 60	49 (28) 27	74 (24) 35	586 (29) 41
40-49	14 (37) 26	59 (22) 18	35 (23) 14	149 (23) 89	20 (20) 22	39 (14) 30	42 (24) 24	61 (20) 27	422 (21) 30
50+	8 (21) 8	42 (15) 6	25 (16) 4	58 (9) 19	20 (20) 9	45 (16) 21	20 (11) 6	44 (14) 10	264 (13) 9
RACE/ETHNICITY									
White	6 (16) 4	91 (33) 9	28 (18) 7	216 (33) 77	49 (48) 12	5 (2) 20	16 (9) 8	60 (19) 13	472 (24) 17
Black	11 (29) 18	33 (12) 44	14 (9) 21	97 (15) 159	24 (24) 65	128 (46) 45	11 (6) 29	117 (38) 51	438 (22) 51
Hispanic/Latino	18 (47) 10	126 (46) 15	89 (58) 11	294 (45) 51	22 (22) 22	131 (47) 19	137 (77) 14	113 (37) 19	937 (47) 20
Other (4)	<5 (-) -	20 (7) 8	19 (12) 4	31 (5) 15	6 (6) 7	7 (3) 35	11 (6) 9	11 (4) 5	110 (6) 8
TRANSMISSION CATEGORY (5)									
MSM	28 (72)	229 (84)	130 (85)	588 (90)	87 (85)	221 (79)	147 (82)	246 (80)	1687 (84)
IDU	<5 (-)	10 (4)	7 (4)	14 (2)	<5 (-)	8 (3)	6 (3)	15 (5)	65 (3)
MSM/IDU	<5 (-)	7 (2)	<5 (-)	20 (3)	5 (5)	9 (3)	9 (5)	9 (3)	61 (3)
Heterosexual contact	7 (18)	29 (11)	14 (9)	30 (5)	7 (7)	40 (14)	16 (9)	38 (12)	181 (9)
Perinatal exposure	<5 (-)	<5 (-)	<5 (-)	<5 (-)	<5 (-)	<5 (-)	<5 (-)	<5 (-)	<5 (-)
Total [% of total](6)	38 [2] 10	274 [14] 13	153 [8] 9	652 [33] 58	102 [5] 16	279 [14] 28	178 [9] 14	308 [15] 20	1997 [100] 20

1. Rates based on observations fewer than 12 may not be reliable (see Technical Notes).
2. Total includes persons with no information on SPA.
3. Transgender is not presented here due to small numbers.
4. Other includes Asian, Pacific Islander, American Indian and Alaskan Native.
5. Persons without an identified risk factor are assigned a risk factor using multiple imputation (MI) methods (see Technical Notes). Rates for transmission category are not calculated, because of the lack of denominator data.
6. Total includes persons who have multiple races/ethnicities or have missing information on race/ethnicity.

TABLE 9. NEW HIV DIAGNOSES IN 2012(1) AND RATES PER 100,000 (1,2) BY GENDER, AGE, RACE/ETHNICITY, TRANSMISSION CATEGORY, AND SERVICE PLANNING AREA (SPA)
DECEMBER 31, 2014, LOS ANGELES COUNTY

Service Planning Area	Antelope Valley No. (%) Rate	San Fernando No. (%) Rate	San Gabriel No. (%) Rate	Metro No. (%) Rate	West No. (%) Rate	South No. (%) Rate	East No. (%) Rate	South Bay/LB No. (%) Rate	Total (3) No. (%) Rate
GENDER (4)									
Male	30 (83) 16	246 (94) 23	159 (90) 19	634 (93) 109	94 (89) 30	198 (85) 40	141 (89) 22	296 (87) 39	1815 (90) 37
Female	6 (17) 3	17 (6) 2	17 (10) 2	46 (7) 8	12 (11) 4	35 (15) 7	18 (11) 3	44 (13) 6	197 (10) 4
AGE GROUP									
<30	14 (39) 8	87 (33) 10	76 (43) 11	266 (39) 61	29 (27) 13	100 (43) 19	63 (40) 11	128 (38) 20	769 (38) 18
30-39	9 (25) 20	70 (27) 23	53 (30) 23	189 (28) 91	34 (32) 31	54 (23) 38	47 (30) 26	102 (30) 48	565 (28) 40
40-49	7 (19) 13	67 (25) 21	29 (16) 12	149 (22) 87	28 (26) 30	52 (22) 40	34 (21) 19	59 (17) 26	430 (21) 30
50+	6 (17) 6	39 (15) 6	18 (10) 3	76 (11) 24	15 (14) 7	27 (12) 12	15 (9) 4	51 (15) 11	248 (12) 8
RACE/ETHNICITY									
White	6 (17) 4	84 (32) 9	28 (16) 7	202 (30) 72	46 (43) 11	8 (3) 32	13 (8) 7	73 (21) 16	463 (23) 16
Black	15 (42) 24	32 (12) 41	17 (10) 26	116 (17) 191	21 (20) 56	106 (45) 37	14 (9) 36	107 (31) 47	433 (22) 51
Hispanic/Latino	13 (36) 8	133 (51) 16	107 (61) 13	302 (44) 52	29 (27) 28	114 (49) 17	126 (79) 13	140 (41) 23	974 (48) 20
Other (5)	<5 (-) -	12 (5) 5	21 (12) 4	44 (6) 22	6 (6) 7	<5 (-) -	6 (4) 5	14 (4) 6	105 (5) 7
TRANSMISSION CATEGORY (6)									
MSM	25 (70)	234 (89)	148 (84)	590 (87)	89 (84)	181 (78)	133 (84)	280 (82)	1695 (84)
IDU	5 (15)	6 (2)	8 (4)	24 (4)	<5 (-)	9 (4)	6 (3)	14 (4)	75 (4)
MSM/IDU	<5 (-)	6 (2)	<5 (-)	28 (4)	5 (4)	7 (3)	<5 (-)	10 (3)	67 (3)
Heterosexual contact	<5 (-)	16 (6)	16 (9)	37 (5)	10 (9)	35 (15)	15 (10)	37 (11)	171 (9)
Perinatal exposure	<5 (-)	<5 (-)	<5 (-)	<5 (-)	<5 (-)	<5 (-)	<5 (-)	<5 (-)	<5 (-)
Total [% of total] (7)	36 [2] 9	263 [13] 12	176 [9] 10	680 [34] 60	106 [5] 17	233 [12] 23	159 [8] 12	340 [17] 22	2012 [100] 20

1. Data are provisional due to reporting delay.
2. Rates based on observations fewer than 12 may not be reliable (see Technical Notes).
3. Total includes persons with no information on SPA.
4. Transgender is not presented here due to small numbers.
5. Other includes Asian, Pacific Islander, American Indian and Alaskan Native.
6. Persons without an identified risk factor are assigned a risk factor using multiple imputation (MI) methods (see Technical Notes). Rates for transmission category are not calculated, because of the lack of denominator data.
7. Total includes persons who have multiple races/ethnicities or have missing information on race/ethnicity.

TABLE 10. NEW HIV DIAGNOSES IN 2013(1) AND RATES PER 100,000 (1,2) BY GENDER, AGE, RACE/ETHNICITY, TRANSMISSION CATEGORY, AND SERVICE PLANNING AREA (SPA) REPORTED BY DECEMBER 31, 2014, LOS ANGELES COUNTY

Service Planning Area	Antelope Valley No. (%) Rate	San Fernando No. (%) Rate	San Gabriel No. (%) Rate	Metro No. (%) Rate	West No. (%) Rate	South No. (%) Rate	East No. (%) Rate	South Bay/LB No. (%) Rate	Total (3) No. (%) Rate
GENDER (4)									
Male	24 (75) 12	216 (88) 20	137 (88) 16	573 (93) 98	75 (91) 24	186 (76) 37	138 (93) 21	247 (87) 33	1609 (88) 33
Female	8 (25) 4	30 (12) 3	18 (12) 2	44 (7) 8	7 (9) 2	58 (24) 11	10 (7) 2	36 (13) 5	211 (12) 4
AGE GROUP									
<30	9 (28) 5	86 (35) 10	51 (33) 7	241 (39) 55	34 (41) 15	93 (38) 18	61 (41) 10	97 (34) 15	676 (37) 16
30-39	5 (16) 11	66 (27) 22	52 (34) 23	192 (31) 91	9 (11) 8	60 (25) 42	36 (24) 20	81 (29) 38	507 (28) 35
40-49	10 (31) 19	59 (24) 18	31 (20) 13	114 (18) 65	15 (18) 16	57 (23) 44	27 (18) 15	69 (24) 31	384 (21) 27
50+	8 (25) 8	35 (14) 5	21 (14) 4	70 (11) 22	24 (29) 11	34 (14) 15	24 (16) 7	36 (13) 8	253 (14) 9
RACE/ETHNICITY									
White	7 (22) 5	72 (29) 7	28 (18) 7	190 (31) 67	44 (54) 11	10 (4) 39	16 (11) 9	71 (25) 16	440 (24) 15
Black	11 (34) 18	51 (21) 66	19 (12) 29	116 (19) 190	14 (17) 37	128 (52) 45	11 (7) 28	91 (32) 40	445 (24) 52
Hispanic/Latino	13 (41) 7	107 (43) 12	87 (56) 11	265 (43) 45	16 (20) 16	104 (43) 15	114 (77) 12	102 (36) 16	813 (45) 17
Other (5)	<5 (-) -	9 (4) 4	16 (10) 3	29 (5) 14	8 (10) 9	<5 (-) -	6 (4) 5	15 (5) 6	86 (5) 6
TRANSMISSION CATEGORY (6)									
MSM	23 (70)	205 (83)	128 (83)	543 (88)	72 (88)	170 (69)	133 (90)	227 (80)	1511 (83)
IDU	<5 (-)	10 (4)	7 (5)	16 (3)	<5 (-)	19 (8)	<5 (-)	21 (7)	82 (5)
MSM/IDU	<5 (-)	5 (2)	<5 (-)	18 (3)	<5 (-)	6 (2)	<5 (-)	8 (3)	43 (2)
Heterosexual contact	7 (22)	26 (11)	18 (11)	40 (7)	5 (6)	50 (20)	8 (6)	26 (9)	180 (10)
Perinatal exposure	<5 (-)	<5 (-)	<5 (-)	<5 (-)	<5 (-)	<5 (-)	<5 (-)	<5 (-)	<5 (-)
Total [% of total] (7)	32 [2] 8	246 [14] 11	155 [9] 9	617 [34] 54	82 [5] 13	244 [13] 24	148 [8] 11	283 [16] 18	1820 [100] 18

1. Data are provisional due to reporting delay.
2. Rates based on observations fewer than 12 may not be reliable (see Technical Notes).
3. Total includes persons with no information on SPA.
4. Transgender is not presented here due to small numbers.
5. Other includes Asian, Pacific Islander, American Indian and Alaskan Native.
6. Persons without an identified risk factor are assigned a risk factor using multiple imputation (MI) methods (see Technical Notes). Rates for transmission category are not calculated, because of the lack of denominator data.
7. Total includes persons who have multiple races/ethnicities or have missing information on race/ethnicity.

TABLE 11. PERSONS LIVING WITH DIAGNOSED HIV INFECTION (1) AS OF DECEMBER 31, 2014 BY RACE/ETHNICITY, GENDER, AGE, TRANSMISSION CATEGORY, AND SERVICE PLANNING AREA (SPA) REPORTED BY DECEMBER 31, 2014, LOS ANGELES COUNTY

	White			Black			Hispanic/Latino			Other (2)			Total (3)		
	Male	Female	All	Male	Female	All	Male	Female	All	Male	Female	All	Male	Female	All
	No. (%)	No. (%)	No. (%)	No. (%)	No. (%)	No. (%)	No. (%)	No. (%)	No. (%)	No. (%)	No. (%)	No. (%)	No. (%)	No. (%)	No. (%)
AGE GROUP (4)															
<13	<5(-)	5(1)	6(<1)	7(<1)	7(<1)	14(<1)	5(<1)	5(<1)	10(<1)	<5(-)	<5(-)	<5(-)	15(<1)	19(<1)	34(<1)
13-19	10(<1)	<5(-)	12(<1)	28(<1)	18(1)	46(<1)	47(<1)	29(1)	76(<1)	5(<1)	<5(-)	5(<1)	91(<1)	49(1)	140(<1)
20-29	550(4)	38(5)	588(4)	1036(13)	156(8)	1192(12)	1684(9)	227(9)	1911(9)	170(10)	12(6)	182(9)	3516(8)	438(8)	3954(8)
30-39	1633(11)	110(13)	1743(11)	1353(17)	336(17)	1689(17)	4096(23)	549(22)	4645(23)	397(23)	44(24)	441(23)	7615(18)	1056(19)	8671(18)
40-49	3889(26)	250(30)	4139(26)	1981(25)	567(29)	2548(26)	6060(34)	744(30)	6804(33)	560(32)	45(24)	605(31)	12672(29)	1635(30)	14307(29)
50-59	6012(40)	260(32)	6272(39)	2447(31)	605(31)	3052(31)	4467(25)	586(24)	5053(25)	406(23)	54(29)	460(24)	13540(31)	1522(28)	15062(31)
60+	2971(20)	160(19)	3131(20)	1069(13)	265(14)	1334(14)	1618(9)	337(14)	1955(10)	199(11)	32(17)	231(12)	5933(14)	807(15)	6740(14)
TRANSMISSION CATEGORY (5)															
MSM	13454(89)	- (-)	13454(85)	6541(83)	- (-)	6541(66)	15869(88)	- (-)	15869(78)	1580(91)	- (-)	1580(82)	38009(88)	- (-)	38009(78)
IDU	340(2)	307(37)	646(4)	418(5)	460(24)	878(9)	514(3)	329(13)	843(4)	26(2)	25(13)	51(3)	1324(3)	1146(21)	2471(5)
MSM/IDU	1137(8)	- (-)	1137(7)	630(8)	- (-)	630(6)	1007(6)	- (-)	1007(5)	88(5)	- (-)	88(5)	2935(7)	- (-)	2935(6)
Hemophi/Transfusion	26(<1)	9(1)	35(<1)	11(<1)	17(1)	28(<1)	34(<1)	23(1)	57(<1)	8(<1)	<5(-)	10(1)	79(<1)	54(1)	133(<1)
Heterosexual contact	90(1)	496(60)	587(4)	272(3)	1429(73)	1701(17)	488(3)	2044(83)	2532(12)	29(2)	159(85)	189(10)	891(2)	4181(76)	5072(10)
Perinatal exposure	19(<1)	11(1)	30(<1)	47(1)	48(2)	95(1)	62(<1)	77(3)	139(1)	7(<1)	<5(-)	8(<1)	136(<1)	139(3)	275(1)
Other/Undetermined	<5(-)	<5(-)	<5(-)	<5(-)	<5(-)	<5(-)	<5(-)	<5(-)	8(<1)	<5(-)	<5(-)	<5(-)	8(<1)	6(<1)	14(<1)
SERVICE PLANNING AREA															
Antelope Valley[1]	172(1)	36(4)	208(1)	155(2)	71(4)	226(2)	191(1)	45(2)	236(1)	8(<1)	<5(-)	12(1)	535(1)	160(3)	695(1)
San Fernando[2]	2587(17)	210(25)	2797(18)	686(9)	159(8)	845(9)	2483(14)	332(13)	2815(14)	265(15)	25(13)	290(15)	6127(14)	734(13)	6861(14)
San Gabriel[3]	670(4)	77(9)	747(5)	317(4)	109(6)	426(4)	1641(9)	243(10)	1884(9)	276(16)	42(22)	318(17)	2945(7)	473(9)	3418(7)
Metro[4]	7066(47)	173(21)	7239(46)	2597(33)	331(17)	2928(30)	6713(37)	624(25)	7337(36)	636(37)	43(23)	679(35)	17287(40)	1193(22)	18480(38)
West[5]	1408(9)	92(11)	1500(9)	342(4)	79(4)	421(4)	548(3)	50(2)	598(3)	111(6)	11(6)	122(6)	2458(6)	235(4)	2693(6)
South[6]	153(1)	25(3)	178(1)	1952(25)	627(32)	2579(26)	1846(10)	487(20)	2333(11)	40(2)	10(5)	50(3)	4046(9)	1170(21)	5216(11)
East[7]	338(2)	43(5)	381(2)	148(2)	65(3)	213(2)	2120(12)	366(15)	2486(12)	88(5)	11(6)	99(5)	2712(6)	490(9)	3202(7)
South Bay/LB[8]	2566(17)	164(20)	2730(17)	1670(21)	502(26)	2172(22)	2339(13)	320(13)	2659(13)	303(17)	41(22)	344(18)	6997(16)	1045(19)	8042(16)
Total (6)	15066[95]	825[5]	15891[100]	7921[80]	1954[20]	9875[100]	17977[88]	2477[12]	20454[100]	1739[90]	187[10]	1926[100]	43382[89]	5526[11]	48908[100]

1. Data are provisional due to reporting delay.
2. Other includes Asian, Pacific Islander, American Indian and Alaskan Native.
3. Total includes persons who have multiple races/ethnicities or have missing information on race/ethnicity.
4. Age as of December 31, 2014.
5. Persons without an identified risk factor are assigned a risk factor using multiple imputation (MI) methods (see Technical Notes).
6. Total includes persons who have missing information on SPA. Percent of total cases that are male and female is shown in this row.

TABLE 12. PERSONS LIVING WITH DIAGNOSED HIV INFECTION (1) AND RATES PER 100,000 (1,2) AS OF DECEMBER 31, 2014
 BY SERVICE PLANNING AREA (SPA), GENDER, AGE, RACE/ETHNICITY AND TRANSMISSION CATEGORY
 REPORTED BY DECEMBER 31, 2014, LOS ANGELES COUNTY

Service Planning Area	Antelope Valley No. (%) Rate	San Fernando No. (%) Rate	San Gabriel No. (%) Rate	Metro No. (%) Rate	West No. (%) Rate	South No. (%) Rate	East No. (%) Rate	South Bay/LB No. (%) Rate	Total (3) No. (%) Rate
GENDER									
Male	532 (77) 273	6043 (88) 557	2909 (85) 334	17011 (92) 2885	2444 (91) 773	3980 (76) 791	2682 (84) 416	6921 (86) 909	42792 (87) 862
Female	158 (23) 80	730 (11) 66	473 (14) 52	1181 (6) 211	235 (9) 70	1169 (22) 220	488 (15) 73	1041 (13) 131	5501 (11) 108
Transgender(4)	5 (1)	88 (1)	36 (1)	288 (2)	14 (1)	67 (1)	32 (1)	80 (1)	615 (1)
AGE GROUP (5)									
<13	<5 (-) -	<5 (-) -	<5 (-) -	<5 (-) -	6 (<1) 8	10 (<1) 5	<5 (-) -	5 (<1) 2	34 (<1) 2
13-19	7 (1) 15	16 (<1) 8	12 (<1) 7	27 (<1) 31	7 (<1) 15	34 (1) 28	12 (<1) 8	25 (<1) 17	140 (<1) 14
20-29	70 (10) 108	514 (7) 161	313 (9) 117	1225 (7) 691	157 (6) 159	703 (13) 389	337 (11) 161	607 (8) 269	3954 (8) 256
30-39	129 (19) 279	1194 (17) 390	646 (19) 282	3127 (17) 1457	383 (14) 340	1086 (21) 751	632 (20) 353	1398 (17) 654	8671 (18) 600
40-49	186 (27) 371	1902 (28) 599	995 (29) 412	5658 (31) 3179	717 (27) 751	1397 (27) 1065	1009 (32) 572	2364 (29) 1073	14307 (29) 1014
50-59	212 (31) 397	2172 (32) 707	974 (28) 395	5896 (32) 4246	951 (35) 1127	1384 (27) 1238	824 (26) 529	2568 (32) 1218	15062 (31) 1151
60+	91 (13) 164	1060 (15) 271	475 (14) 138	2543 (14) 1373	472 (18) 351	602 (12) 488	385 (12) 187	1075 (13) 395	6740 (14) 394
RACE/ETHNICITY									
White	208 (30) 152	2797 (41) 285	747 (22) 197	7239 (39) 2539	1500 (56) 359	178 (3) 704	381 (12) 205	2730 (34) 614	15891 (32) 556
Black	226 (33) 355	845 (12) 1076	426 (12) 640	2928 (16) 4748	421 (16) 1113	2579 (49) 896	213 (7) 530	2172 (27) 939	9875 (20) 1139
Hispanic/Latino	236 (34) 135	2815 (41) 322	1884 (55) 229	7337 (40) 1234	598 (22) 572	2333 (45) 333	2486 (78) 258	2659 (33) 427	20454 (42) 421
Asian/PI	10 (1) 64	254 (4) 100	303 (9) 59	577 (3) 280	107 (4) 117	22 (<1) 115	87 (3) 72	317 (4) 126	1687 (3) 115
AI/AN	<5 (-) -	36 (1) 886	15 (<1) 481	102 (1) 4713	15 (1) 1491	28 (1) 1817	12 (<1) 426	27 (<1) 729	239 (<1) 1192
TRANSMISSION CATEGORY (4,6)									
MSM	423 (61)	5392 (79)	2543 (74)	15464 (84)	2202 (82)	3397 (65)	2368 (74)	5982 (74)	38009 (78)
IDU	84 (12)	298 (4)	220 (6)	631 (3)	106 (4)	413 (8)	185 (6)	517 (6)	2471 (5)
MSM/IDU	45 (7)	394 (6)	173 (5)	1216 (7)	154 (6)	249 (5)	158 (5)	523 (7)	2935 (6)
Hemophi/Transfusion	<5 (-)	24 (<1)	18 (1)	28 (<1)	9 (<1)	17 (<1)	16 (<1)	21 (<1)	133 (<1)
Heterosexual contact	134 (19)	723 (11)	437 (13)	1078 (6)	205 (8)	1072 (21)	449 (14)	951 (12)	5072 (10)
Perinatal exposure	8 (1)	28 (<1)	24 (1)	60 (<1)	18 (1)	66 (1)	24 (1)	47 (1)	275 (1)
Other/Undetermined	<5 (-)	<5 (-)	<5 (-)	<5 (-)	<5 (-)	<5 (-)	<5 (-)	<5 (-)	14 (<1)
Total [% of total] (7)	695 [1]177	6861 [14]313	3418 [7]192	18480 [38]1607	2693 [6]413	5216 [11]505	3202 [7]244	8042 [16]517	48908 [100]486

1. Data are provisional due to reporting delay
2. Rates are based on Census 2010 population estimates for 2014. Rates based on observations fewer than 12 may not be reliable (see Technical Notes).
3. Total includes persons with no information on SPA.
4. Rates for transgender and transmission category are not calculated, because of the lack of denominator data.
5. Age as of December 31, 2014.
6. Persons without an identified risk factor are assigned a risk factor using multiple imputation (MI) methods (see Technical Notes).
7. Total includes persons who have multiple races/ethnicities or have missing information on race/ethnicity.

TABLE 13. CUMULATIVE NUMBER OF PERSONS REPORTED WITH AN HIV DIAGNOSIS (1) BY GENDER, AGE, RACE/ETHNICITY, TRANSMISSION CATEGORY, AND SERVICE PLANNING AREA (SPA) REPORTED BY DECEMBER 31, 2014, LOS ANGELES COUNTY

Service Planning Area	Antelope Valley No. (%)	San Fernando No. (%)	San Gabriel No. (%)	Metro No. (%)	West No. (%)	South No. (%)	East No. (%)	South Bay/LB No. (%)	Total (2) No. (%)
GENDER									
Male	826 (79)	10992 (90)	5371 (87)	30585 (93)	4528 (92)	6963 (79)	4452 (86)	11789 (88)	75921 (89)
Female	209 (20)	1069 (9)	780 (13)	1775 (5)	366 (7)	1790 (20)	699 (13)	1546 (12)	8265 (10)
Transgender	5 (<1)	117 (1)	38 (1)	361 (1)	16 (<1)	82 (1)	34 (1)	88 (1)	749 (1)
AGE GROUP (3)									
<13	15 (1)	66 (1)	63 (1)	122 (<1)	28 (1)	106 (1)	50 (1)	98 (1)	548 (1)
13-19	27 (3)	220 (2)	107 (2)	531 (2)	55 (1)	325 (4)	131 (3)	304 (2)	1713 (2)
20-29	258 (25)	2905 (24)	1602 (26)	8205 (25)	1091 (22)	2521 (29)	1529 (29)	3534 (26)	21792 (26)
30-39	364 (35)	4625 (38)	2293 (37)	13372 (41)	2003 (41)	2969 (34)	1896 (37)	5262 (39)	32952 (39)
40-49	233 (22)	2913 (24)	1377 (22)	7401 (23)	1135 (23)	1890 (21)	1012 (20)	2849 (21)	18899 (22)
50-59	104 (10)	1112 (9)	528 (9)	2431 (7)	418 (9)	774 (9)	405 (8)	1075 (8)	6874 (8)
60+	39 (4)	337 (3)	219 (4)	659 (2)	180 (4)	250 (3)	162 (3)	301 (2)	2157 (3)
RACE/ETHNICITY									
White	387 (37)	6291 (52)	1836 (30)	14996 (46)	2988 (61)	359 (4)	838 (16)	5525 (41)	33414 (39)
Black	314 (30)	1299 (11)	892 (14)	5100 (16)	734 (15)	5118 (58)	334 (6)	3482 (26)	17373 (20)
Hispanic/Latino	306 (29)	4046 (33)	2963 (48)	11101 (34)	940 (19)	3148 (36)	3838 (74)	3723 (28)	30202 (36)
Asian/PI	14 (1)	334 (3)	396 (6)	815 (2)	140 (3)	32 (<1)	120 (2)	425 (3)	2288 (3)
AI/AN	5 (<1)	52 (<1)	27 (<1)	171 (1)	24 (<1)	38 (<1)	25 (<1)	56 (<1)	401 (<1)
TRANSMISSION CATEGORY (4)									
MSM	610 (59)	9557 (78)	4487 (72)	27058 (83)	3986 (81)	5582 (63)	3753 (72)	9795 (73)	65171 (77)
IDU	157 (15)	721 (6)	534 (9)	1447 (4)	247 (5)	997 (11)	408 (8)	1123 (8)	5667 (7)
MSM/IDU	76 (7)	726 (6)	361 (6)	2464 (8)	299 (6)	538 (6)	288 (6)	981 (7)	5779 (7)
Hemophi/Transfusion	15 (1)	142 (1)	93 (2)	123 (<1)	59 (1)	85 (1)	86 (2)	134 (1)	740 (1)
Heterosexual contact	173 (17)	988 (8)	663 (11)	1528 (5)	297 (6)	1544 (17)	614 (12)	1315 (10)	7150 (8)
Perinatal exposure	8 (1)	41 (<1)	44 (1)	97 (<1)	23 (<1)	88 (1)	35 (1)	71 (1)	407 (<1)
Other/Undetermined	<5 (-)	<5 (-)	7 (<1)	<5 (-)	<5 (-)	<5 (-)	<5 (-)	<5 (-)	22 (<1)
Total [% of total] (5)	1040 [1]	12178 [14]	6189 [7]	32721 [39]	4910 [6]	8835 [10]	5185 [6]	13423 [16]	84935 [100]

1. Data are provisional due to reporting delay.
2. Total includes persons with no information on SPA.
3. Age at the time of HIV diagnosis.
4. Persons without an identified risk factor are assigned a risk factor using multiple imputation (MI) methods (See Technical Notes).
5. Total includes persons who have multiple races/ethnicities or have missing information on race/ethnicity.

TABLE 14. HIV DIAGNOSES BY GENDER, TRANSMISSION CATEGORY, AND YEAR OF DIAGNOSIS, REPORTED BY DECEMBER 31, 2014, LOS ANGELES COUNTY

Transmission Category (1)	Year of Diagnosis									Cumulative 1982-2014 No. (%)
	2005 No. (%)	2006 No. (%)	2007 No. (%)	2008 No. (%)	2009 No. (%)	2010 No. (%)	2011 No. (%)	2012(2) No. (%)	2013(2) No. (%)	
MALE										
Male-male sexual contact	1668 (87)	2049 (88)	2156 (90)	1937 (91)	1830 (93)	1765 (93)	1687 (94)	1695 (93)	1511 (94)	65171 (85)
Injection drug user (IDU)	65 (3)	80 (3)	69 (3)	54 (3)	28 (1)	46 (2)	32 (2)	38 (2)	41 (3)	3519 (5)
Male-male sexual contact/IDU	143 (7)	137 (6)	126 (5)	106 (5)	87 (4)	68 (4)	61 (3)	67 (4)	43 (3)	5779 (8)
Hemophi/Transfusion	<5 (-)	<5 (-)	<5 (-)	<5 (-)	<5 (-)	<5 (-)	<5 (-)	<5 (-)	<5 (-)	489 (1)
Heterosexual contact	44 (2)	61 (3)	52 (2)	30 (1)	24 (1)	25 (1)	10 (1)	13 (1)	12 (1)	1463 (2)
Perinatal transmission	<5 (-)	<5 (-)	<5 (-)	<5 (-)	<5 (-)	<5 (-)	<5 (-)	<5 (-)	<5 (-)	198 (<1)
Other/Undetermined	<5 (-)	<5 (-)	<5 (-)	<5 (-)	<5 (-)	<5 (-)	<5 (-)	<5 (-)	<5 (-)	14 (<1)
Male subtotal	1923	2332	2406	2129	1970	1908	1792	1815	1609	76633
[% of annual cases]	[88]	[86]	[87]	[88]	[88]	[88]	[90]	[90]	[88]	[90]
FEMALE										
Injection drug user (IDU)	70 (28)	81 (21)	76 (22)	55 (20)	51 (19)	46 (18)	34 (16)	37 (19)	41 (20)	2147 (26)
Hemophi/Transfusion	<5 (-)	<5 (-)	<5 (-)	<5 (-)	<5 (-)	<5 (-)	<5 (-)	<5 (-)	<5 (-)	251 (3)
Heterosexual contact	177 (70)	305 (78)	270 (77)	225 (80)	212 (81)	202 (80)	171 (84)	158 (80)	168 (79)	5687 (68)
Perinatal transmission	<5 (-)	<5 (-)	<5 (-)	<5 (-)	<5 (-)	5 (2)	<5 (-)	<5 (-)	<5 (-)	209 (3)
Other/Undetermined	<5 (-)	<5 (-)	<5 (-)	<5 (-)	<5 (-)	<5 (-)	<5 (-)	<5 (-)	<5 (-)	8 (<1)
Female subtotal	253	391	350	282	263	253	205	197	211	8302
[% of annual cases]	[12]	[14]	[13]	[12]	[12]	[12]	[10]	[10]	[12]	[10]
Total	2176	2723	2756	2411	2233	2161	1997	2012	1820	84935

1. Persons without an identified risk factor are assigned a risk factor using multiple imputation (MI) methods (see Technical Notes).
 2. Data are provisional due to reporting delay.

TABLE 15. HIV DIAGNOSES AMONG WHITES BY GENDER, TRANSMISSION CATEGORY, AND YEAR OF DIAGNOSIS, REPORTED BY DECEMBER 31, 2014, LOS ANGELES COUNTY

Transmission Category (1)	Year of Diagnosis									Cumulative 1982-2014 No. (%)
	2005 No. (%)	2006 No. (%)	2007 No. (%)	2008 No. (%)	2009 No. (%)	2010 No. (%)	2011 No. (%)	2012(2) No. (%)	2013(2) No. (%)	
MALE										
Male-male sexual contact	539 (88)	607 (87)	644 (91)	555 (92)	488 (93)	465 (92)	425 (95)	406 (93)	383 (94)	27987 (88)
Injection drug user (IDU)	15 (2)	23 (3)	18 (3)	15 (2)	6 (1)	9 (2)	8 (2)	6 (1)	9 (2)	931 (3)
Male-male sexual contact/IDU	53 (9)	55 (8)	45 (6)	30 (5)	26 (5)	26 (5)	14 (3)	22 (5)	16 (4)	2532 (8)
Hemophi/Transfusion	<5 (-)	<5 (-)	<5 (-)	<5 (-)	<5 (-)	<5 (-)	<5 (-)	<5 (-)	<5 (-)	246 (1)
Heterosexual contact	<5 (-)	11 (2)	<5 (-)	<5 (-)	<5 (-)	5 (1)	<5 (-)	<5 (-)	<5 (-)	201 (1)
Perinatal transmission	<5 (-)	<5 (-)	<5 (-)	<5 (-)	<5 (-)	<5 (-)	<5 (-)	<5 (-)	<5 (-)	28 (<1)
Other/Undetermined	<5 (-)	<5 (-)	<5 (-)	<5 (-)	<5 (-)	<5 (-)	<5 (-)	<5 (-)	<5 (-)	<5 (-)
Male subtotal	609	698	711	603	523	505	447	435	409	31925
[% of annual cases]	[94]	[94]	[94]	[93]	[93]	[93]	[95]	[94]	[93]	[96]
FEMALE										
Injection drug user (IDU)	19 (52)	15 (32)	16 (34)	16 (34)	11 (29)	14 (37)	6 (24)	11 (38)	11 (35)	589 (40)
Hemophi/Transfusion	<5 (-)	<5 (-)	<5 (-)	<5 (-)	<5 (-)	<5 (-)	<5 (-)	<5 (-)	<5 (-)	88 (6)
Heterosexual contact	17 (45)	31 (66)	30 (66)	29 (63)	26 (71)	22 (58)	19 (76)	17 (62)	19 (62)	786 (53)
Perinatal transmission	<5 (-)	<5 (-)	<5 (-)	<5 (-)	<5 (-)	<5 (-)	<5 (-)	<5 (-)	<5 (-)	23 (2)
Other/Undetermined	<5 (-)	<5 (-)	<5 (-)	<5 (-)	<5 (-)	<5 (-)	<5 (-)	<5 (-)	<5 (-)	<5 (-)
Female subtotal	37	47	46	45	37	38	25	28	31	1489
[% of annual cases]	[6]	[6]	[6]	[7]	[7]	[7]	[5]	[6]	[7]	[4]
Total	646	745	757	648	560	543	472	463	440	33414

1. Persons without an identified risk factor are assigned a risk factor using multiple imputation (MI) methods (see Technical Notes).

2. Data are provisional due to reporting delay.

TABLE 16. HIV DIAGNOSES AMONG BLACKS BY GENDER, TRANSMISSION CATEGORY, AND YEAR OF DIAGNOSIS, REPORTED BY DECEMBER 31, 2014, LOS ANGELES COUNTY

Transmission Category (1)	Year of Diagnosis									Cumulative 1982-2014 No. (%)
	2005 No. (%)	2006 No. (%)	2007 No. (%)	2008 No. (%)	2009 No. (%)	2010 No. (%)	2011 No. (%)	2012(2) No. (%)	2013(2) No. (%)	
MALE										
Male-male sexual contact	292 (83)	377 (84)	420 (87)	426 (89)	373 (90)	369 (91)	339 (92)	314 (90)	325 (90)	11070 (77)
Injection drug user (IDU)	20 (6)	22 (5)	23 (5)	19 (4)	9 (2)	15 (4)	9 (2)	16 (5)	17 (5)	1278 (9)
Male-male sexual contact/IDU	26 (7)	29 (6)	22 (5)	21 (4)	21 (5)	12 (3)	11 (3)	14 (4)	10 (3)	1331 (9)
Hemophi/Transfusion	<5 (-)	<5 (-)	<5 (-)	<5 (-)	<5 (-)	<5 (-)	<5 (-)	<5 (-)	<5 (-)	74 (1)
Heterosexual contact	12 (3)	22 (5)	18 (4)	15 (3)	10 (2)	9 (2)	5 (1)	<5 (-)	7 (2)	472 (3)
Perinatal transmission	<5 (-)	<5 (-)	<5 (-)	<5 (-)	<5 (-)	<5 (-)	<5 (-)	<5 (-)	<5 (-)	73 (1)
Other/Undetermined	<5 (-)	<5 (-)	<5 (-)	<5 (-)	<5 (-)	<5 (-)	<5 (-)	<5 (-)	<5 (-)	<5 (-)
Male subtotal	353	449	485	481	413	405	366	348	360	14302
[% of annual cases]	[78]	[78]	[78]	[82]	[81]	[81]	[84]	[80]	[81]	[82]
FEMALE										
Injection drug user (IDU)	26 (26)	32 (25)	36 (26)	20 (19)	25 (25)	18 (19)	13 (18)	17 (20)	19 (22)	920 (30)
Hemophi/Transfusion	<5 (-)	<5 (-)	<5 (-)	<5 (-)	<5 (-)	<5 (-)	<5 (-)	<5 (-)	<5 (-)	57 (2)
Heterosexual contact	71 (71)	94 (73)	99 (73)	85 (80)	73 (75)	73 (78)	59 (82)	66 (78)	66 (78)	2023 (66)
Perinatal transmission	<5 (-)	<5 (-)	<5 (-)	<5 (-)	<5 (-)	<5 (-)	<5 (-)	<5 (-)	<5 (-)	71 (2)
Female subtotal	99	129	136	106	98	94	72	85	85	3071
[% of annual cases]	[22]	[22]	[22]	[18]	[19]	[19]	[16]	[20]	[19]	[18]
Total	452	578	621	587	511	499	438	433	445	17373

1. Persons without an identified risk factor are assigned a risk factor using multiple imputation (MI) methods (see Technical Notes).
 2. Data are provisional due to reporting delay.

TABLE 17. HIV DIAGNOSES AMONG HISPANICS/LATINOS BY GENDER, TRANSMISSION CATEGORY, AND YEAR OF DIAGNOSIS, REPORTED BY DECEMBER 31, 2014, LOS ANGELES COUNTY

Transmission Category (1)	Year of Diagnosis									Cumulative 1982-2014 No. (%)
	2005 No. (%)	2006 No. (%)	2007 No. (%)	2008 No. (%)	2009 No. (%)	2010 No. (%)	2011 No. (%)	2012(2) No. (%)	2013(2) No. (%)	
MALE										
Male-male sexual contact	748 (87)	938 (90)	932 (90)	823 (92)	858 (94)	807 (93)	791 (94)	845 (94)	702 (96)	23040 (86)
Injection drug user (IDU)	27 (3)	31 (3)	23 (2)	18 (2)	10 (1)	19 (2)	14 (2)	15 (2)	13 (2)	1197 (4)
Male-male sexual contact/IDU	55 (6)	45 (4)	51 (5)	48 (5)	34 (4)	25 (3)	32 (4)	28 (3)	15 (2)	1646 (6)
Hemophi/Transfusion	<5 (-)	<5 (-)	<5 (-)	<5 (-)	<5 (-)	<5 (-)	<5 (-)	<5 (-)	<5 (-)	138 (1)
Heterosexual contact	28 (3)	20 (2)	30 (3)	10 (1)	10 (1)	10 (1)	5 (1)	8 (1)	<5 (-)	728 (3)
Perinatal transmission	<5 (-)	<5 (-)	<5 (-)	<5 (-)	<5 (-)	<5 (-)	<5 (-)	<5 (-)	<5 (-)	89 (<1)
Other/Undetermined	<5 (-)	<5 (-)	<5 (-)	<5 (-)	<5 (-)	<5 (-)	<5 (-)	<5 (-)	<5 (-)	8 (<1)
Male subtotal	858	1038	1036	899	912	864	841	896	734	26845
[% of annual cases]	[90]	[85]	[88]	[89]	[89]	[89]	[90]	[92]	[90]	[89]
FEMALE										
Injection drug user (IDU)	17 (17)	26 (14)	19 (13)	15 (14)	12 (11)	12 (11)	13 (14)	9 (12)	11 (14)	546 (16)
Hemophi/Transfusion	<5 (-)	<5 (-)	<5 (-)	<5 (-)	<5 (-)	<5 (-)	<5 (-)	<5 (-)	<5 (-)	85 (3)
Heterosexual contact	80 (82)	162 (86)	125 (85)	96 (86)	98 (89)	98 (89)	83 (86)	69 (88)	67 (85)	2609 (78)
Perinatal transmission	<5 (-)	<5 (-)	<5 (-)	<5 (-)	<5 (-)	<5 (-)	<5 (-)	<5 (-)	<5 (-)	112 (3)
Other/Undetermined	<5 (-)	<5 (-)	<5 (-)	<5 (-)	<5 (-)	<5 (-)	<5 (-)	<5 (-)	<5 (-)	5 (<1)
Female subtotal	97	188	147	111	110	110	96	78	79	3357
[% of annual cases]	[10]	[15]	[12]	[11]	[11]	[11]	[10]	[8]	[10]	[11]
Total	955	1226	1183	1010	1022	974	937	974	813	30202

1. Persons without an identified risk factor are assigned a risk factor using multiple imputation (MI) methods (see Technical Notes).

2. Data are provisional due to reporting delay.

TABLE 18. PERSONS LIVING WITH DIAGNOSED HIV INFECTION AND RATES PER 100,000 (1) AT THE END OF CALENDAR YEAR, BY GENDER, AGE, RACE/ETHNICITY, AND TRANSMISSION CATEGORY REPORTED BY DECEMBER 31, 2014, LOS ANGELES COUNTY

Calendar Year	2007			2008			2009			2010			2011			2012 (2)			2013 (2)			2014 (2)		
	No.	(%)	Rate	No.	(%)	Rate	No.	(%)	Rate	No.	(%)	Rate	No.	(%)	Rate	No.	(%)	Rate	No.	(%)	Rate	No.	(%)	Rate
GENDER																								
Male	33607	(87)	690	35103	(87)	722	36502	(87)	753	37866	(87)	782	39134	(87)	804	40407	(87)	824	41569	(87)	842	42792	(87)	862
Female	4479	(12)	89	4662	(12)	93	4821	(12)	97	5001	(12)	100	5112	(11)	102	5229	(11)	104	5380	(11)	106	5501	(11)	108
Transgender (1)	467	(1)		483	(1)		509	(1)		524	(1)		551	(1)		580	(1)		598	(1)		615	(1)	
AGE GROUP (3)																								
<13	88	(<1)	5	71	(<1)	4	56	(<1)	3	52	(<1)	3	49	(<1)	3	45	(<1)	3	38	(<1)	2	34	(<1)	2
13-19	248	(1)	24	248	(1)	24	264	(1)	26	250	(1)	24	215	(<1)	21	194	(<1)	20	175	(<1)	18	140	(<1)	14
20-29	3257	(8)	214	3491	(9)	230	3632	(9)	240	3750	(9)	248	3827	(9)	257	3913	(8)	258	3963	(8)	254	3954	(8)	256
30-39	8940	(23)	597	8641	(21)	586	8486	(20)	584	8362	(19)	584	8368	(19)	588	8486	(18)	595	8543	(18)	594	8671	(18)	600
40-49	15551	(40)	1097	16079	(40)	1133	16320	(39)	1148	16392	(38)	1152	16092	(36)	1131	15632	(34)	1103	15064	(32)	1060	14307	(29)	1014
50-59	7935	(21)	693	8825	(22)	752	9779	(23)	815	10706	(25)	874	11806	(26)	944	12846	(28)	1008	13957	(29)	1088	15062	(31)	1151
60+	2534	(7)	174	2893	(7)	196	3295	(8)	219	3879	(9)	255	4440	(10)	278	5100	(11)	306	5807	(12)	348	6740	(14)	394
RACE/ETHNICITY																								
White	13745	(36)	466	14131	(35)	480	14458	(35)	493	14790	(34)	516	15063	(34)	527	15314	(33)	537	15608	(33)	547	15891	(32)	556
Black	7691	(20)	877	8086	(20)	930	8404	(20)	976	8744	(20)	1027	9009	(20)	1057	9293	(20)	1087	9604	(20)	1118	9875	(20)	1139
Hispanic/Latino	15160	(39)	325	15952	(40)	342	16781	(40)	360	17551	(40)	374	18309	(41)	387	19095	(41)	399	19745	(42)	409	20454	(42)	421
Asian/PI	1125	(3)	83	1215	(3)	89	1296	(3)	95	1376	(3)	98	1454	(3)	104	1533	(3)	107	1601	(3)	110	1687	(3)	115
AI/AN	202	(1)	836	205	(1)	945	216	(1)	1085	222	(1)	1161	232	(1)	1204	238	(1)	1228	238	(1)	1215	239	(<1)	1192
TRANSMISSION CATEGORY (1,4)																								
MSM	28796	(75)		30273	(75)		31681	(76)		33019	(76)		34319	(77)		35619	(77)		36802	(77)		38009	(78)	
IDU	2356	(6)		2383	(6)		2379	(6)		2414	(6)		2407	(5)		2418	(5)		2439	(5)		2470	(5)	
MSM/IDU	2866	(7)		2891	(7)		2922	(7)		2937	(7)		2942	(7)		2938	(6)		2925	(6)		2935	(6)	
Hemophi/Transfusion	156	(<1)		151	(<1)		145	(<1)		142	(<1)		139	(<1)		137	(<1)		133	(<1)		133	(<1)	
Heterosexual contact	4101	(11)		4270	(11)		4426	(11)		4593	(11)		4703	(10)		4818	(10)		4960	(10)		5072	(10)	
Perinatal exposure	264	(1)		266	(1)		266	(1)		272	(1)		273	(1)		272	(1)		274	(1)		275	(1)	
Other/Undetermined	14	(<1)		14	(<1)		14	(<1)		14	(<1)		14	(<1)		14	(<1)		14	(<1)		14	(<1)	
Total (5)	38553	(100)	390	40248	(100)	408	41832	(100)	425	43391	(100)	442	44797	(100)	454	46216	(100)	465	47547	(100)	475	48908	(100)	486

1. Rates for 2007-2009 are based on 2001-2009 smoothed population estimates prepared by the Office of Health Assessment and Epidemiology, LAC/DPH, and rates for 2010-2014 are based on Census 2010 population estimates for 2010-2014. Rates based on observations fewer than 12 may not be reliable. Rates for transgender and transmission category are not calculated, because of the lack of denominator data (see Technical Notes).
2. Data are provisional due to reporting delay.
3. Age as of the end of year.
4. Persons without an identified risk factor are assigned a risk factor using multiple imputation (MI) methods (see Technical Notes).
5. Total includes persons who have multiple races/ethnicities or have missing information on race/ethnicity.

TABLE 19. STAGE 3 (AIDS) DIAGNOSES AND RATES PER 100,000 (1) BY GENDER, YEAR OF DIAGNOSIS, AND RACE/ETHNICITY
 REPORTED BY DECEMBER 31, 2014
 LOS ANGELES COUNTY

Year of Diagnosis	Race/Ethnicity					Total (2) No. (Rate)
	White No. (Rate)	Black No. (Rate)	Hispanic/Latino No. (Rate)	Asian/PI No. (Rate)	AI/AN No. (Rate)	
MALE						
2004	409 (27)	237 (56)	626 (27)	48 (8)	6 (46)	1348 (28)
2005	390 (26)	257 (62)	560 (24)	41 (7)	5 (40)	1268 (26)
2006	387 (26)	215 (53)	536 (23)	43 (7)	5 (40)	1205 (25)
2007	293 (20)	198 (48)	503 (22)	43 (7)	9 (76)	1057 (22)
2008	371 (25)	220 (54)	538 (23)	55 (9)	7 (66)	1235 (25)
2009	362 (25)	249 (62)	608 (26)	47 (7)	7 (73)	1296 (27)
2010	248 (17)	231 (58)	522 (22)	44 (7)	9 (97)	1069 (22)
2011	229 (16)	185 (46)	402 (17)	41 (6)	<5 (-)	880 (18)
2012 (3)	235 (16)	202 (50)	474 (20)	44 (7)	5 (53)	984 (20)
2013 (3)	199 (14)	168 (42)	409 (17)	42 (6)	6 (63)	848 (17)
Cumulative						
Male subtotal	24699	10416	19381	1341	237	56852
FEMALE						
2004	37 (2)	74 (15)	68 (3)	5 (1)	<5 (-)	190 (4)
2005	26 (2)	75 (16)	71 (3)	7 (1)	<5 (-)	183 (4)
2006	17 (1)	68 (14)	88 (4)	<5 (-)	<5 (-)	182 (4)
2007	20 (1)	58 (12)	63 (3)	<5 (-)	<5 (-)	151 (3)
2008	23 (2)	75 (16)	69 (3)	7 (1)	<5 (-)	177 (4)
2009	24 (2)	61 (13)	76 (3)	5 (1)	<5 (-)	170 (3)
2010	18 (1)	62 (14)	61 (3)	<5 (-)	<5 (-)	146 (3)
2011	14 (1)	59 (13)	43 (2)	<5 (-)	<5 (-)	123 (2)
2012 (3)	15 (1)	47 (10)	45 (2)	<5 (-)	<5 (-)	114 (2)
2013 (3)	14 (1)	37 (8)	36 (1)	<5 (-)	<5 (-)	95 (2)
Cumulative						
Female subtotal	1049	2080	2214	129	36	5578
BOTH						
2004	446 (15)	311 (34)	694 (15)	53 (4)	7 (26)	1538 (16)
2005	416 (14)	332 (37)	631 (14)	48 (4)	6 (23)	1451 (15)
2006	404 (14)	283 (32)	624 (13)	46 (3)	7 (28)	1387 (14)
2007	313 (11)	256 (29)	566 (12)	47 (3)	10 (41)	1208 (12)
2008	394 (13)	295 (34)	607 (13)	62 (5)	7 (32)	1412 (14)
2009	386 (13)	310 (36)	684 (15)	52 (4)	8 (40)	1466 (15)
2010	266 (9)	293 (34)	583 (12)	45 (3)	10 (52)	1215 (12)
2011	243 (8)	244 (29)	445 (9)	44 (3)	6 (31)	1003 (10)
2012 (3)	250 (9)	249 (29)	519 (11)	48 (3)	8 (41)	1098 (11)
2013 (3)	213 (7)	205 (24)	445 (9)	46 (3)	6 (31)	943 (9)
Cumulative Total						
1982-2014	25748	12496	21595	1470	273	62430

1. Rates for 2004-2009 are based on 2001-2009 smoothed population estimates prepared by the Office of Health Assessment and Epidemiology, LAC/DPH. Rates for 2010-2013 are based on Census 2010 population estimates for 2010-2013. Rates based on observations fewer than 12 may not be reliable (see Technical Notes).
2. Total includes persons who have multiple races/ethnicities or have missing information on race/ethnicity.
3. Data are provisional due to reporting delay.

TABLE 20. STAGE 3 (AIDS) DIAGNOSES AMONG ADULTS/ADOLESCENTS AND RATES PER 100,000 (1)
 BY GENDER, YEAR OF DIAGNOSIS, AND RACE/ETHNICITY
 REPORTED BY DECEMBER 31, 2014
 LOS ANGELES COUNTY

Year of Diagnosis	Race/Ethnicity					Total (2) No. (Rate)
	White No. (Rate)	Black No. (Rate)	Hispanic/Latino No. (Rate)	Asian/PI No. (Rate)	AI/AN No. (Rate)	
MALE						
2004	409 (31)	236 (71)	625 (37)	47 (9)	6 (56)	1345 (35)
2005	390 (30)	257 (78)	560 (32)	41 (8)	5 (47)	1268 (32)
2006	386 (30)	214 (66)	535 (30)	43 (8)	5 (48)	1202 (31)
2007	293 (23)	197 (60)	503 (28)	43 (8)	9 (90)	1056 (27)
2008	371 (29)	218 (66)	538 (30)	55 (10)	7 (78)	1233 (31)
2009	362 (28)	249 (76)	608 (34)	47 (8)	7 (84)	1296 (33)
2010	248 (20)	231 (70)	521 (29)	44 (8)	9 (112)	1068 (27)
2011	229 (18)	184 (56)	401 (22)	41 (7)	<5 (-)	878 (22)
2012 (3)	234 (18)	202 (61)	474 (25)	44 (8)	5 (61)	983 (24)
2013 (3)	199 (16)	168 (50)	409 (22)	42 (7)	6 (72)	848 (21)
Cumulative						
Male subtotal	24657	10345	19282	1336	235	56632
FEMALE						
2004	36 (3)	74 (19)	68 (4)	5 (1)	<5 (-)	189 (5)
2005	25 (2)	75 (19)	69 (4)	7 (1)	<5 (-)	180 (4)
2006	17 (1)	67 (17)	88 (5)	<5 (-)	<5 (-)	181 (4)
2007	20 (2)	57 (15)	62 (3)	<5 (-)	<5 (-)	149 (4)
2008	23 (2)	74 (19)	69 (4)	7 (1)	<5 (-)	176 (4)
2009	24 (2)	61 (16)	76 (4)	5 (1)	<5 (-)	170 (4)
2010	18 (1)	62 (16)	61 (3)	<5 (-)	<5 (-)	146 (4)
2011	14 (1)	59 (15)	43 (2)	<5 (-)	<5 (-)	123 (3)
2012 (3)	15 (1)	47 (12)	45 (2)	<5 (-)	<5 (-)	114 (3)
2013 (3)	14 (1)	37 (9)	36 (2)	<5 (-)	<5 (-)	95 (2)
Cumulative						
Female subtotal	1027	2028	2121	125	36	5405
BOTH						
2004	445 (17)	310 (42)	693 (20)	52 (5)	7 (31)	1534 (19)
2005	415 (16)	332 (46)	629 (18)	48 (4)	6 (27)	1448 (18)
2006	403 (15)	281 (39)	623 (18)	46 (4)	7 (32)	1383 (17)
2007	313 (12)	254 (35)	565 (16)	47 (4)	10 (48)	1205 (15)
2008	394 (15)	292 (41)	607 (17)	62 (5)	7 (37)	1409 (17)
2009	386 (15)	310 (43)	684 (19)	52 (4)	8 (46)	1466 (18)
2010	266 (10)	293 (41)	582 (16)	45 (4)	10 (60)	1214 (15)
2011	243 (10)	243 (34)	444 (12)	44 (4)	6 (36)	1001 (12)
2012 (3)	249 (10)	249 (34)	519 (14)	48 (4)	8 (47)	1097 (13)
2013 (3)	213 (8)	205 (28)	445 (12)	46 (4)	6 (35)	943 (11)
Cumulative Total						
1982-2014	25684	12373	21403	1461	271	62037

1. Rates for 2004-2009 are based on 2001-2009 smoothed population estimates prepared by the Office of Health Assessment and Epidemiology, LAC/DPH. Rates for 2010-2013 are based on Census 2010 population estimates for 2010-2013. Rates based on observations fewer than 12 may not be reliable (see Technical Notes).
2. Total includes persons who have multiple races/ethnicities or have missing information on race/ethnicity.
3. Data are provisional due to reporting delay.

TABLE 21. PERSONS LIVING WITH STAGE 3 (AIDS) AND RATES PER 100,000 (1) AS OF DECEMBER 31, 2014
 BY SERVICE PLANNING AREA (SPA), GENDER, AGE, RACE/ETHNICITY AND TRANSMISSION CATEGORY
 REPORTED BY DECEMBER 31, 2014, LOS ANGELES COUNTY

Service Planning Area	Antelope Valley No. (%) Rate	San Fernando No. (%) Rate	San Gabriel No. (%) Rate	Metro No. (%) Rate	West No. (%) Rate	South No. (%) Rate	East No. (%) Rate	South Bay/LB No. (%) Rate	Total (2) No. (%) Rate
GENDER									
Male	286 (79) 147	3376 (89) 311	1668 (85) 191	9179 (92)1557	1325 (91) 419	2313 (78) 459	1608 (85) 249	4348 (87) 571	24297 (88) 489
Female	76 (21) 38	376 (10) 34	270 (14) 30	652 (7) 116	125 (9) 37	601 (20) 113	269 (14) 40	598 (12) 75	2988 (11) 59
Transgender(3)	<5 (-)	48 (1)	26 (1)	128 (1)	7 (<1)	43 (1)	16 (1)	43 (1)	317 (1)
AGE GROUP (4)									
<13	<5 (-) -	<5 (-) -	<5 (-) -	<5 (-) -	<5 (-) -	5 (<1) 2	<5 (-) -	<5 (-) -	14 (<1) 1
13-19	<5 (-) -	<5 (-) -	8 (<1) 5	9 (<1) 10	<5 (-) -	11 (<1) 9	<5 (-) -	12 (<1) 8	51 (<1) 5
20-29	17 (5) 26	106 (3) 33	86 (4) 32	252 (3) 142	33 (2) 33	181 (6) 100	75 (4) 36	162 (3) 72	927 (3) 60
30-39	48 (13) 104	466 (12) 152	249 (13) 109	998 (10) 465	127 (9) 113	494 (17) 342	288 (15) 161	623 (12) 291	3339 (12) 231
40-49	99 (27) 197	1082 (28) 341	598 (30) 248	3028 (30)1701	365 (25) 382	865 (29) 659	627 (33) 355	1520 (30) 690	8242 (30) 584
50-59	139 (38) 260	1404 (37) 457	671 (34) 272	3827 (38)2756	614 (42) 728	970 (33) 868	608 (32) 391	1891 (38) 897	10192 (37) 779
60+	61 (17) 110	736 (19) 188	351 (18) 102	1842 (18) 994	314 (22) 233	431 (15) 349	291 (15) 141	779 (16) 286	4837 (18) 282
RACE/ETHNICITY									
White	117 (32) 86	1528 (40) 156	399 (20) 105	3736 (38)1310	804 (55) 193	88 (3) 348	209 (11) 113	1759 (35) 395	8731 (32) 306
Black	108 (30) 170	412 (11) 525	268 (14) 402	1524 (15)2471	218 (15) 576	1420 (48) 493	112 (6) 279	1255 (25) 543	5360 (19) 618
Hispanic/Latino	128 (35) 73	1643 (43) 188	1109 (56) 135	4224 (42) 711	354 (24) 338	1386 (47) 198	1505 (80) 156	1696 (34) 272	12120 (44) 250
Asian/PI	6 (2) 38	134 (4) 53	162 (8) 32	289 (3) 140	48 (3) 53	8 (<1) 42	48 (3) 40	189 (4) 75	888 (3) 60
AI/AN	<5 (-) -	19 (1) 468	9 (<1) 288	49 (<1)2264	9 (1) 895	12 (<1) 779	6 (<1) 213	13 (<1) 351	118 (<1) 588
TRANSMISSION CATEGORY (3,5)									
MSM	210 (58)	2913 (77)	1407 (72)	8103 (81)	1159 (80)	1901 (64)	1367 (72)	3645 (73)	20872 (76)
IDU	51 (14)	210 (6)	163 (8)	415 (4)	75 (5)	261 (9)	125 (7)	347 (7)	1663 (6)
MSM/IDU	30 (8)	248 (7)	111 (6)	747 (8)	88 (6)	161 (5)	110 (6)	380 (8)	1893 (7)
Hemophi/Transfusion	<5 (-)	19 (<1)	14 (1)	22 (<1)	9 (1)	17 (1)	14 (1)	17 (<1)	112 (<1)
Heterosexual contact	70 (19)	394 (10)	250 (13)	622 (6)	116 (8)	568 (19)	258 (14)	567 (11)	2863 (10)
Perinatal exposure	<5 (-)	15 (<1)	15 (1)	47 (<1)	10 (1)	47 (2)	18 (1)	33 (1)	188 (1)
Other/Undetermined	<5 (-)	<5 (-)	<5 (-)	<5 (-)	<5 (-)	<5 (-)	<5 (-)	<5 (-)	11 (<1)
Total [% of total] (6)	364 [1] 93	3800 [14]173	1964 [7]110	9959 [36]866	1457 [5]223	2957 [11]286	1893 [7]144	4989 [18]321	27602 [100]274

1. Rates are based on Census 2010 population estimates for 2014. Rates that are based on observations fewer than 12 may not be reliable (see Technical Notes).
2. Total includes persons with no information on SPA.
3. Rates for transgender and transmission category are not calculated, because of the lack of denominator data.
4. Age as of December 31, 2014.
5. Persons without an identified risk factor are assigned a risk factor using multiple imputation (MI) methods (see Technical Notes).
6. Total includes persons who have multiple races/ethnicities or have missing information on race/ethnicity.