


Prenatal Care: Entered prenatal care after first trimester

The 2010 LAMB Survey asked mothers how many weeks or months pregnant they were when they had their first visit for prenatal care.
A. By Service Planning Area (SPA)



B. By Maternal Characteristics

		Entered prenatal care after first trimester			
Maternal Demographics	Category	%	95% Confidence Interval	Survey Respondents	Estimated County Total
Countywide		9.5	8.5-10.5	748	11,934
Race/Ethnicity	White	5.4	4.0-6.8	116	1,218
	Latino	10.7	9.2-12.2	311	7,763
	African American	13.5	11.2-15.8	157	1,264
	Asian/Pacific Islander	7.8	5.4-10.1	117	1,459
Age at Delivery	< 20 Years	21.5	18.8-24.3	254	1,842
	20-24	13.1	10.3-15.9	140	3,105
	25-34	7.8	6.5-9.1	262	4,976
	35+ Years	6.9	4.9-8.9	92	2,011
Years of Education at Delivery	Less than high school	12.4	9.9-14.9	201	3,204
	Completed high school	11.5	9.2-13.9	211	3,367
	Some college	10.9	8.7-13.2	201	3,326
	Completed college or beyond	4.7	3.5-6.0	93	1,705
2011 Household Income	<\$20,000	12.8	10.8-14.7	340	5,109
	\$20,000-\$39,999	9.5	7.1-12.0	119	2,442
	\$40,000-\$59,999	10.7	7.1-14.3	62	1,080
	\$60,000-\$99,999	*3.6	1.8-5.5	30	489
	\$>\$100,000	*2.2	1.0-3.3	23	390
Marital Status at Delivery	Married	5.9	4.8-7.0	221	4,055
	Never Married/Living Together	11.7	9.6-13.7	261	4,294
	Unmarried/Not Living with Partner	17.3	14.2-20.4	245	3,207


Missing and unknown categories are excluded from the analyses.

*Signifies that estimate is statistically unstable (relative standard error > 25%) and therefore may not be appropriate to use for planning or policy purposes.

Prenatal Care: Did not get prenatal care as early as wanted

The 2010 LAMB Survey asked mothers if they received prenatal care as early in their pregnancy as they wanted.

A. By Service Planning Area (SPA)



B. By Maternal Characteristics

		Did not get prenatal care as early as wanted			
Maternal Demographics	Category	%	95% Confidence Interval	Survey Respondents	Estimated County Total
Countywide		13.4	12.3-14.6	1,096	16,988
Race/Ethnicity	White	9.4	7.7-11.2	191	2,138
	Latino	14.3	12.6-16.0	423	10,418
	African American	20.5	17.7-23.4	224	1,965
	Asian/Pacific Islander	11.1	8.0-14.1	174	2,078
Age at Delivery	< 20 Years	29.6	26.6-32.7	350	2,566
	20-24	22.1	18.6-25.5	229	5,276
	25-34	10.8	9.3-12.2	401	6,963
	35+ Years	7.5	5.5-9.5	116	2,183
Years of Education at Delivery	Less than high school	13.0	10.6-15.5	241	3,450
	Completed high school	14.5	11.9-17.0	293	4,244
	Some college	17.8	14.9-20.8	303	5,484
	Completed college or beyond	8.9	7.2-10.7	186	3,217
2011 Household Income	<\$20,000	19.3	17.0-21.7	483	7,846
	\$20,000-\$39,999	13.6	10.8-16.4	196	3,452
	\$40,000-\$59,999	13.5	9.6-17.4	85	1,349
	\$60,000-\$99,999	7.7	5.2-10.2	69	1,034
	\$>\$100,000	3.7	2.3-5.2	49	672
Marital Status at Delivery	Married	8.9	7.6-10.2	350	6,150
	Never Married/Living Together	16.4	14.2-18.7	398	6,157
	Unmarried/Not Living with Partner	23.0	19.5-26.4	327	4,303


Missing and unknown categories are excluded from the analyses.

*Signifies that estimate is statistically unstable (relative standard error > 25%) and therefore may not be appropriate to use for planning or policy purposes.

Prenatal Care: Traveled 15 miles or more for prenatal care

The 2010 LAMB Survey asked mothers how far they traveled (one way) to receive prenatal care.

A. By Service Planning Area (SPA)



B. By Maternal Characteristics

		Traveled 15 miles or more for prenatal care			
Maternal Demographics	Category	%	95% Confidence Interval	Survey Respondents	Estimated County Total
Countywide		11.2	10.1-12.3	819	13,974
Race/Ethnicity	White	11.1	9.2-13.1	178	2,510
	Latino	10.9	9.3-12.4	260	7,768
	African American	15.3	12.9-17.8	176	1,465
	Asian/Pacific Islander	10.4	7.4-13.4	143	1,940
Age at Delivery	< 20 Years	10.7	8.6-12.8	121	921
	20-24	12.7	10.0-15.5	134	2,963
	25-34	9.8	8.4-11.2	366	6,237
	35+ Years	13.3	10.5-16.1	198	3,853
Years of Education at Delivery	Less than high school	13.1	10.5-15.8	158	3,364
	Completed high school	9.8	7.7-12.0	155	2,832
	Some college	12.0	9.6-14.3	209	3,660
	Completed college or beyond	10.1	8.3-11.9	232	3,616
2011 Household Income	<\$20,000	13.0	11.0-15.0	270	5,156
	\$20,000-\$39,999	9.0	6.7-11.3	124	2,266
	\$40,000-\$59,999	12.3	8.6-16.0	86	1,230
	\$60,000-\$99,999	10.7	7.9-13.5	105	1,438
	\$>\$100,000	10.4	7.6-13.1	109	1,858
Marital Status at Delivery	Married	10.2	8.8-11.7	404	6,958
	Never Married/Living Together	13.0	10.9-15.2	236	4,768
	Unmarried/Not Living with Partner	11.0	8.6-13.3	165	2,034


Missing and unknown categories are excluded from the analyses.

*Signifies that estimate is statistically unstable (relative standard error > 25%) and therefore may not be appropriate to use for planning or policy purposes.

Prenatal Care: Dissatisfied with amount of wait time at prenatal care

The 2010 LAMB Survey asked mothers if they were dissatisfied with how long they had to wait to see the doctor at the doctor's office during their visits for prenatal care.

A. By Service Planning Area (SPA)



B. By Maternal Characteristics

		Dissatisfied with amount of wait time at prenatal care			
Maternal Demographics	Category	%	95% Confidence Interval	Survey Respondents	Estimated County Total
Countywide		18.0	16.6-19.4	1,224	22,801
Race/Ethnicity	White	15.9	13.7-18.1	256	3,605
	Latino	19.3	17.2-21.3	453	14,104
	African American	19.9	17.3-22.6	217	1,908
	Asian/Pacific Islander	14.7	10.8-18.5	212	2,766
Age at Delivery	< 20 Years	21.0	18.3-23.7	227	1,797
	20-24	22.9	19.3-26.4	209	5,438
	25-34	18.3	16.3-20.3	596	11,889
	35+ Years	12.5	9.9-15.1	192	3,677
Years of Education at Delivery	Less than high school	20.0	16.4-23.6	227	5,291
	Completed high school	17.8	14.8-20.7	281	5,221
	Some college	17.7	14.8-20.6	297	5,454
	Completed college or beyond	16.8	14.4-19.2	343	6,071
2011 Household Income	<\$20,000	22.5	19.8-25.2	476	9,172
	\$20,000-\$39,999	18.2	14.8-21.6	203	4,666
	\$40,000-\$59,999	15.5	11.6-19.4	102	1,560
	\$60,000-\$99,999	12.6	9.6-15.7	113	1,701
	\$>\$100,000	11.6	8.8-14.4	136	2,105
Marital Status at Delivery	Married	15.3	13.5-17.1	575	10,598
	Never Married/Living Together	21.0	18.1-23.8	382	7,808
	Unmarried/Not Living with Partner	22.5	18.9-26.1	254	4,227


Missing and unknown categories are excluded from the analyses.
 *Signifies that estimate is statistically unstable (relative standard error > 25%) and therefore may not be appropriate to use for planning or policy purposes.

Note: Unmarried/Not living with a partner includes divorced, widowed, separated and never married living apart

Prenatal Care: Dissatisfied with amount of time spent with doctor/nurse

The 2010 LAMB Survey asked mothers if they were dissatisfied with how much time the doctor or nurse spent with them during their visits for prenatal care

A. By Service Planning Area (SPA)



B. By Maternal Characteristics

		Dissatisfied with amount of time spent with doctor/nurse			
Maternal Demographics	Category	%	95% Confidence Interval	Survey Respondents	Estimated County Total
Countywide		9.8	8.8-10.9	662	12,448
Race/Ethnicity	White	7.8	6.1-9.5	127	1,768
	Latino	11.4	9.8-13.0	276	8,342
	African American	8.6	6.8-10.5	99	824
	Asian/Pacific Islander	6.9	4.8-9.0	111	1,295
Age at Delivery	< 20 Years	13.0	10.7-15.3	138	1,116
	20-24	12.7	9.9-15.5	122	3,013
	25-34	9.5	8.1-10.9	305	6,162
	35+ Years	7.3	5.2-9.4	97	2,157
Years of Education at Delivery	Less than high school	9.9	7.5-12.2	123	2,620
	Completed high school	9.6	7.4-11.8	148	2,827
	Some college	10.7	8.4-13.0	167	3,290
	Completed college or beyond	9.0	7.2-10.8	172	3,248
2011 Household Income	<\$20,000	12.4	10.4-14.3	273	5,026
	\$20,000-\$39,999	10.2	7.7-12.8	123	2,632
	\$40,000-\$59,999	9.7	6.5-12.9	64	975
	\$60,000-\$99,999	6.3	4.0-8.7	50	856
	\$>\$100,000	5.2	3.2-7.1	52	936
Marital Status at Delivery	Married	8.0	6.7-9.3	287	5,543
	Never Married/Living Together	10.6	8.7-12.5	216	3,963
	Unmarried/Not Living with Partner	14.5	11.3-17.6	147	2,706


Missing and unknown categories are excluded from the analyses.
 *Signifies that estimate is statistically unstable (relative standard error > 25%) and therefore may not be appropriate to use for planning or policy purposes.

Note: Unmarried/Not living with a partner includes divorced, widowed, separated and never married living apart.

Prenatal Care: Dissatisfied with advice given at prenatal care

The 2010 LAMB Survey asked mothers if they were dissatisfied with the advice they received on how to take care of themselves during their visits for prenatal care.

A. By Service Planning Area (SPA)



B. By Maternal Characteristics

		Dissatisfied with advice given at prenatal care			
Maternal Demographics	Category	%	95% Confidence Interval	Survey Respondents	Estimated County Total
Countywide		6.5	5.7-7.3	457	8,258
Race/Ethnicity	White	6.4	4.8-8.0	97	1,445
	Latino	7.0	5.8-8.3	183	5,170
	African American	6.5	4.7-8.3	64	621
	Asian/Pacific Islander	4.5	3.0-6.0	74	850
Age at Delivery	< 20 Years	8.6	6.7-10.5	93	741
	20-24	8.1	6.0-10.3	88	1,947
	25-34	5.9	4.8-7.0	195	3,830
	35+ Years	5.9	4.1-7.7	81	1,739
Years of Education at Delivery	Less than high school	6.9	5.0-8.8	87	1,837
	Completed high school	5.7	4.1-7.2	97	1,668
	Some college	6.8	5.0-8.6	112	2,095
	Completed college or beyond	6.7	5.2-8.2	126	2,413
2011 Household Income	<\$20,000	8.5	6.9-10.1	187	3,471
	\$20,000-\$39,999	6.5	4.5-8.4	77	1,668
	\$40,000-\$59,999	5.6	3.4-7.8	43	564
	\$60,000-\$99,999	5.0	3.1-6.9	43	677
	\$>\$100,000	3.9	2.3-5.6	41	712
Marital Status at Delivery	Married	5.5	4.4-6.5	207	3,790
	Never Married/Living Together	6.7	5.3-8.2	148	2,515
	Unmarried/Not Living with Partner	9.5	7.0-12.1	98	1,796


Missing and unknown categories are excluded from the analyses.
 *Signifies that estimate is statistically unstable (relative standard error > 25%) and therefore may not be appropriate to use for planning or policy purposes.

Note: Unmarried/Not living with a partner includes divorced, widowed, separated and never married living apart.

Prenatal Care: Dissatisfied with understanding/respect received

The 2010 LAMB Survey asked mothers if they were dissatisfied with the understanding and respect that the staff showed toward them during their visits for prenatal care.

A. By Service Planning Area (SPA)



B. By Maternal Characteristics


		Dissatisfied with understanding/respect received			
Maternal Demographics	Category	%	95% Confidence Interval	Survey Respondents	Estimated County Total
Countywide		3.8	3.2-4.4	274	4,802
Race/Ethnicity	White	3.9	2.7-5.2	58	893
	Latino	3.9	3.0-4.9	105	2,879
	African American	4.6	3.2-6.0	49	439
	Asian/Pacific Islander	2.7	1.5-3.8	41	505
Age at Delivery	< 20 Years	6.1	4.5-7.7	60	523
	20-24	5.4	3.5-7.3	59	1,291
	25-34	3.1	2.3-3.9	115	2,013
	35+ Years	3.3	1.9-4.7	40	974
Years of Education at Delivery	Less than high school	4.3	2.7-5.9	54	1,145
	Completed high school	3.2	2.1-4.4	63	952
	Some college	4.2	2.9-5.6	78	1,301
	Completed college or beyond	3.3	2.2-4.4	59	1,181
2011 Household Income	<\$20,000	5.3	3.9-6.6	114	2,142
	\$20,000-\$39,999	1.8	1.0-2.7	34	465
	\$40,000-\$59,999	*4.2	1.9-6.5	23	424
	\$60,000-\$99,999	*2.9	1.4-4.4	27	389
	\$>\$100,000	*1.7	0.6-2.8	20	310
Marital Status at Delivery	Married	2.6	1.9-3.2	108	1,776
	Never Married/Living Together	4.7	3.4-6.0	100	1,753
	Unmarried/Not Living with Partner	6.0	3.9-8.0	62	1,119

Missing and unknown categories are excluded from the analyses.
 *Signifies that estimate is statistically unstable (relative standard error > 25%) and therefore may not be appropriate to use for planning or policy purposes.

Medical Conditions During Pregnancy: Labor pain 3 weeks before due date

The LAMB Survey asked mothers if they had labor that began too soon (labor pains more than 3 weeks before their baby was due).

A. By Service Planning Area (SPA)



B. By Maternal Characteristics

		Labor pain 3 weeks before due date			
Maternal Demographics	Category	%	95% Confidence Interval	Survey Respondents	Estimated County Total
Countywide		15.0	13.6-16.4	934	19,323
Race/Ethnicity	White	12.5	10.3-14.7	185	2,882
	Latino	17.1	15.0-19.2	385	12,666
	African American	18.3	15.7-20.9	204	1,784
	Asian/Pacific Islander	8.9	6.1-11.7	102	1,719
Age at Delivery	< 20 Years	15.9	13.4-18.3	171	1,404
	20-24	16.2	12.9-19.4	151	3,927
	25-34	14.7	12.7-16.7	429	9,645
	35+ Years	14.5	11.5-17.5	183	4,347
Years of Education at Delivery	Less than high school	20.9	17.0-24.8	211	5,648
	Completed high school	15.1	12.3-17.9	216	4,530
	Some college	15.6	12.8-18.4	240	4,844
	Completed college or beyond	10.2	8.4-12.0	207	3,732
2011 Household Income	<\$20,000	17.7	15.4-20.1	359	7,347
	\$20,000-\$39,999	16.2	13.0-19.5	168	4,194
	\$40,000-\$59,999	11.5	7.9-15.1	69	1,176
	\$60,000-\$99,999	11.7	8.4-15.0	81	1,595
	\$>\$100,000	11.0	8.2-13.7	115	1,998
Marital Status at Delivery	Married	12.8	11.1-14.4	405	8,956
	Never Married/Living Together	16.2	13.4-19.1	290	6,144
	Unmarried/Not Living with Partner	20.1	16.5-23.6	227	3,853


Missing and unknown categories are excluded from the analyses.

*Signifies that estimate is statistically unstable (relative standard error > 25%) and therefore may not be appropriate to use for planning or policy purposes.

Medical Conditions During Pregnancy: High blood pressure

The LAMB Survey asked mothers if they had high blood pressure (such as high blood pressure caused by pregnancy, preeclampsia, or toxemia) during their pregnancy.

A. By Service Planning Area (SPA)



B. By Maternal Characteristics


		High blood pressure			
Maternal Demographics	Category	%	95% Confidence Interval	Survey Respondents	Estimated County Total
Countywide		9.7	8.7-10.7	750	12,501
Race/Ethnicity	White	9.7	7.8-11.6	152	2,237
	Latino	9.7	8.2-11.2	240	7,157
	African American	19.7	16.8-22.6	210	1,932
	Asian/Pacific Islander	4.8	3.2-6.3	86	919
Age at Delivery	< 20 Years	13.5	11.2-15.7	157	1,188
	20-24	11.1	8.5-13.6	120	2,703
	25-34	8.4	7.1-9.7	306	5,496
	35+ Years	10.4	8.1-12.8	167	3,113
Years of Education at Delivery	Less than high school	9.6	7.4-11.7	139	2,589
	Completed high school	11.5	9.1-13.8	195	3,421
	Some college	10.5	8.3-12.7	195	3,250
	Completed college or beyond	7.8	6.2-9.4	168	2,863
2011 Household Income	<\$20,000	10.9	9.1-12.7	284	4,508
	\$20,000-\$39,999	10.5	7.9-13.1	115	2,700
	\$40,000-\$59,999	10.3	6.7-13.9	65	1,052
	\$60,000-\$99,999	8.7	6.3-11.1	85	1,187
	\$>\$100,000	7.6	5.3-9.9	79	1,382
Marital Status at Delivery	Married	7.7	6.5-8.9	300	5,385
	Never Married/Living Together	11.9	9.8-14.0	250	4,489
	Unmarried/Not Living with Partner	13.3	10.7-15.9	189	2,542

Missing and unknown categories are excluded from the analyses.
 *Signifies that estimate is statistically unstable (relative standard error > 25%) and therefore may not be appropriate to use for planning or policy purposes.

Medical Conditions During Pregnancy: Gestational diabetes

The LAMB Survey asked mothers if they had high blood sugar (gestational diabetes) that started during their pregnancy.

A. By Service Planning Area (SPA)



B. By Maternal Characteristics

		Gestational diabetes			
Maternal Demographics	Category	%	95% Confidence Interval	Survey Respondents	Estimated County Total
Countywide		11.8	10.6-12.9	710	15,125
Race/Ethnicity	White	8.0	6.2-9.7	123	1,846
	Latino	12.4	10.7-14.1	240	9,183
	African American	10.5	8.2-12.9	107	1,031
	Asian/Pacific Islander	14.8	11.0-18.6	196	2,858
Age at Delivery	< 20 Years	3.9	2.7-5.1	51	346
	20-24	7.0	4.7-9.3	58	1,713
	25-34	11.5	9.9-13.0	355	7,512
	35+ Years	18.6	15.2-22.0	246	5,553
Years of Education at Delivery	Less than high school	12.8	10.0-15.6	110	3,459
	Completed high school	11.5	9.0-14.0	139	3,447
	Some college	12.1	9.7-14.6	186	3,775
	Completed college or beyond	11.3	9.4-13.2	234	4,135
2011 Household Income	<\$20,000	12.8	10.7-14.9	211	5,307
	\$20,000-\$39,999	11.9	9.2-14.6	136	3,086
	\$40,000-\$59,999	14.7	10.5-19.0	72	1,505
	\$60,000-\$99,999	12.4	9.2-15.6	94	1,690
	\$>\$100,000	9.0	6.6-11.4	106	1,650
Marital Status at Delivery	Married	13.1	11.4-14.8	428	9,160
	Never Married/Living Together	9.6	7.6-11.5	162	3,620
	Unmarried/Not Living with Partner	9.8	7.3-12.4	107	1,886


Missing and unknown categories are excluded from the analyses.

*Signifies that estimate is statistically unstable (relative standard error > 25%) and therefore may not be appropriate to use for planning or policy purposes.

Medical Conditions During Pregnancy: Problems with the placenta

The LAMB Survey asked mothers if they had problems with the placenta (such as abruption placentae or placenta previa) during their pregnancy.

A. By Service Planning Area (SPA)



B. By Maternal Characteristics

		Problems with the placenta			
Maternal Demographics	Category	%	95% Confidence Interval	Survey Respondents	Estimated County Total
Countywide		4.8	4.1-5.5	319	6,194
Race/Ethnicity	White	6.4	4.9-8.0	90	1,485
	Latino	4.7	3.7-5.8	114	3,496
	African American	3.6	2.5-4.8	45	351
	Asian/Pacific Islander	3.9	2.3-5.4	48	745
Age at Delivery	< 20 Years	4.2	2.8-5.6	43	371
	20-24	3.4	1.9-4.9	36	833
	25-34	5.1	4.0-6.2	153	3,338
	35+ Years	5.5	4.0-7.1	87	1,651
Years of Education at Delivery	Less than high school	4.4	2.8-6.0	43	1,182
	Completed high school	4.6	3.1-6.2	65	1,376
	Some college	5.0	3.4-6.6	82	1,552
	Completed college or beyond	5.2	4.0-6.4	104	1,904
2011 Household Income	<\$20,000	4.6	3.3-5.9	88	1,914
	\$20,000-\$39,999	5.4	3.6-7.3	62	1,405
	\$40,000-\$59,999	*4.7	2.0-7.4	28	480
	\$60,000-\$99,999	4.6	2.8-6.3	37	622
	\$>\$100,000	6.5	4.5-8.5	68	1,196
Marital Status at Delivery	Married	5.2	4.2-6.2	184	3,644
	Never Married/Living Together	4.4	3.0-5.7	76	1,645
	Unmarried/Not Living with Partner	4.6	3.0-6.3	56	884


Missing and unknown categories are excluded from the analyses.

*Signifies that estimate is statistically unstable (relative standard error > 25%) and therefore may not be appropriate to use for planning or policy purposes.

Medical Conditions During Pregnancy: Urinary tract infections

The LAMB Survey asked mothers if they had bladder or kidney infections during their pregnancy.

A. By Service Planning Area (SPA)



B. By Maternal Characteristics

		Urinary tract infections			
Maternal Demographics	Category	%	95% Confidence Interval	Survey Respondents	Estimated County Total
Countywide		13.2	11.8-14.5	846	16,915
Race/Ethnicity	White	10.5	8.6-12.4	178	2,435
	Latino	16.3	14.2-18.3	385	11,980
	African American	13.4	11.1-15.7	148	1,296
	Asian/Pacific Islander	5.1	3.5-6.8	88	986
Age at Delivery	< 20 Years	17.1	14.6-19.6	192	1,506
	20-24	15.9	12.8-19.0	159	3,851
	25-34	13.3	11.2-15.4	366	8,714
	35+ Years	9.5	7.3-11.8	129	2,845
Years of Education at Delivery	Less than high school	19.8	15.7-24.0	204	5,339
	Completed high school	14.3	11.5-17.1	205	4,251
	Some college	12.4	10.0-14.8	214	3,846
	Completed college or beyond	8.3	6.7-10.0	180	3,049
2011 Household Income	<\$20,000	17.5	14.9-20.2	330	7,249
	\$20,000-\$39,999	12.2	9.5-15.0	145	3,156
	\$40,000-\$59,999	12.4	8.5-16.2	75	1,262
	\$60,000-\$99,999	7.7	5.1-10.3	62	1,049
	\$>\$100,000	7.8	5.6-10.0	94	1,422
Marital Status at Delivery	Married	9.8	8.3-11.2	332	6,826
	Never Married/Living Together	17.7	14.6-20.9	301	6,709
	Unmarried/Not Living with Partner	16.9	13.7-20.1	203	3,219


Missing and unknown categories are excluded from the analyses.

*Signifies that estimate is statistically unstable (relative standard error > 25%) and therefore may not be appropriate to use for planning or policy purposes.

Medical Conditions During Pregnancy: Incompetent cervix

The LAMB Survey asked mothers if their cervix had to be sewn shut during their pregnancy.

A. By Service Planning Area (SPA)



B. By Maternal Characteristics

		Incompetent cervix			
Maternal Demographics	Category	%	95% Confidence Interval	Survey Respondents	Estimated County Total
Countywide		2.2	1.7-2.7	129	2,766
Race/Ethnicity	White	*0.7	0.2-1.2	12	169
	Latino	3.0	2.2-3.9	78	2,221
	African American	2.0	1.2-2.9	26	197
	Asian/Pacific Islander	*0.8	0.1-1.6	8	160
Age at Delivery	< 20 Years	2.6	1.6-3.7	31	233
	20-24	*3.1	1.5-4.7	24	750
	25-34	1.8	1.2-2.5	45	1,193
	35+ Years	2.0	1.1-2.9	29	591
Years of Education at Delivery	Less than high school	4.0	2.5-5.5	48	1,062
	Completed high school	3.0	1.7-4.4	31	902
	Some college	*1.4	0.6-2.1	29	423
	Completed college or beyond	*8	0.3-1.3	16	300
2011 Household Income	<\$20,000	2.7	1.7-3.6	56	1,096
	\$20,000-\$39,999	*2.3	1.1-3.6	20	602
	\$40,000-\$59,999	*1.3	0.0-2.7	7	132
	\$60,000-\$99,999	*1.4	0.2-2.6	9	190
	\$>\$100,000	*0.5	0.1-0.9	8	96
Marital Status at Delivery	Married	1.7	1.1-2.3	48	1,204
	Never Married/Living Together	2.5	1.5-3.6	42	949
	Unmarried/Not Living with Partner	*2.9	1.4-4.4	35	550


Missing and unknown categories are excluded from the analyses.

*Signifies that estimate is statistically unstable (relative standard error > 25%) and therefore may not be appropriate to use for planning or policy purposes.

Medical Conditions During Pregnancy: Sexually transmitted disease

The LAMB Survey asked mothers if they had any sexually transmitted diseases during their pregnancy.

A. By Service Planning Area (SPA)



B. By Maternal Characteristics

		Sexually transmitted disease			
Maternal Demographics	Category	%	95% Confidence Interval	Survey Respondents	Estimated County Total
Countywide		3.5	2.6-4.4	218	4,462
Race/Ethnicity	White	1.3	0.8-1.9	28	311
	Latino	4.4	2.8-6.0	88	3,244
	African American	5.9	4.3-7.4	74	568
	Asian/Pacific Islander	*1.5	0.5-2.5	15	280
Age at Delivery	< 20 Years	4.2	3.0-5.4	56	370
	20-24	4.6	2.9-6.4	52	1,123
	25-34	3.6	2.0-5.3	86	2,382
	35+ Years	*2.0	1.0-3.0	24	587
Years of Education at Delivery	Less than high school	*7.3	3.6-11.1	65	1,975
	Completed high school	3.1	2.0-4.3	57	933
	Some college	3.1	1.9-4.4	55	968
	Completed college or beyond	1.2	0.7-1.8	29	455
2011 Household Income	<\$20,000	5.4	3.6-7.3	111	2,236
	\$20,000-\$39,999	*2.5	1.2-3.8	28	643
	\$40,000-\$59,999	*1.7	0.0-3.6	12	179
	\$60,000-\$99,999	*0.9	0.0-1.8	9	123
	\$>\$100,000	*0.8	0.3-1.3	12	144
Marital Status at Delivery	Married	1.3	0.8-1.9	45	925
	Never Married/Living Together	6.2	3.4-9.0	79	2,338
	Unmarried/Not Living with Partner	5.9	4.1-7.6	86	1,119


Missing and unknown categories are excluded from the analyses.

*Signifies that estimate is statistically unstable (relative standard error > 25%) and therefore may not be appropriate to use for planning or policy purposes.

Medical Conditions During Pregnancy: Bacterial vaginosis

The LAMB Survey asked mothers if they had bacterial vaginosis (vaginal infection caused by bacteria) during their pregnancy.

A. By Service Planning Area (SPA)



B. By Maternal Characteristics

		Bacterial vaginosis			
Maternal Demographics	Category	%	95% Confidence Interval	Survey Respondents	Estimated County Total
Countywide		10.8	9.7-11.8	810	13,772
Race/Ethnicity	White	6.6	5.2-8.1	122	1,531
	Latino	11.9	10.3-13.4	330	8,734
	African American	17.2	14.7-19.7	189	1,664
	Asian/Pacific Islander	8.4	5.9-10.9	116	1,624
Age at Delivery	< 20 Years	18.8	16.1-21.4	199	1,656
	20-24	14.0	11.2-16.9	156	3,408
	25-34	9.7	8.3-11.1	330	6,310
	35+ Years	8.1	6.1-10.0	125	2,398
Years of Education at Delivery	Less than high school	12.9	10.4-15.3	177	3,432
	Completed high school	10.3	8.1-12.4	188	3,046
	Some college	13.6	11.0-16.1	229	4,212
	Completed college or beyond	6.9	5.4-8.3	153	2,520
2011 Household Income	<\$20,000	13.8	11.8-15.8	326	5,669
	\$20,000-\$39,999	11.5	8.9-14.0	142	2,939
	\$40,000-\$59,999	9.5	6.1-12.9	64	965
	\$60,000-\$99,999	7.4	5.1-9.7	72	1,013
	\$>\$100,000	5.7	3.7-7.7	60	1,045
Marital Status at Delivery	Married	8.9	7.5-10.2	306	6,212
	Never Married/Living Together	12.2	10.2-14.2	275	4,580
	Unmarried/Not Living with Partner	14.9	12.1-17.6	217	2,832


Missing and unknown categories are excluded from the analyses.

*Signifies that estimate is statistically unstable (relative standard error > 25%) and therefore may not be appropriate to use for planning or policy purposes.

Medical Conditions During Pregnancy: Periodontal Disease

The LAMB Survey asked mothers if they had problems with their teeth or gums during their pregnancy.

A. By Service Planning Area (SPA)



B. By Maternal Characteristics

		Periodontal Disease			
Maternal Demographics	Category	%	95% Confidence Interval	Survey Respondents	Estimated County Total
Countywide		16.7	15.2-18.1	1,078	21,338
Race/Ethnicity	White	13.3	11.1-15.5	203	3,064
	Latino	18.6	16.6-20.7	401	13,734
	African American	23.5	20.6-26.5	246	2,282
	Asian/Pacific Islander	9.5	6.8-12.2	140	1,832
Age at Delivery	< 20 Years	12.6	10.4-14.8	144	1,115
	20-24	19.8	16.4-23.2	206	4,810
	25-34	17.0	15.0-19.0	518	11,101
	35+ Years	14.5	11.6-17.3	210	4,312
Years of Education at Delivery	Less than high school	21.0	17.3-24.6	217	5,613
	Completed high school	18.8	15.6-21.9	248	5,581
	Some college	17.6	14.7-20.5	301	5,477
	Completed college or beyond	11.3	9.4-13.3	236	4,143
2011 Household Income	<\$20,000	23.8	21.0-26.7	464	9,816
	\$20,000-\$39,999	17.7	14.4-21.0	208	4,571
	\$40,000-\$59,999	13.0	9.0-17.0	77	1,329
	\$60,000-\$99,999	9.7	6.9-12.6	80	1,329
	\$>\$100,000	8.6	6.2-10.9	96	1,559
Marital Status at Delivery	Married	13.5	11.8-15.2	465	9,435
	Never Married/Living Together	19.8	16.9-22.6	341	7,455
	Unmarried/Not Living with Partner	20.9	17.3-24.4	254	3,986


Missing and unknown categories are excluded from the analyses.

*Signifies that estimate is statistically unstable (relative standard error > 25%) and therefore may not be appropriate to use for planning or policy purposes.

Risk Behaviors During Pregnancy: Smoking

The LAMB Survey asked mothers how many cigarettes they smoked per day after they found out that they were pregnant.

A. By Service Planning Area (SPA)



B. By Maternal Characteristics

		Smoking			
Maternal Demographics	Category	%	95% Confidence Interval	Survey Respondents	Estimated County Total
Countywide		2.4	1.9-2.9	219	3,066
Race/Ethnicity	White	3.3	2.1-4.4	58	747
	Latino	1.3	0.7-2.0	32	990
	African American	8.4	6.4-10.4	84	818
	Asian/Pacific Islander	*2.2	1.0-3.5	26	429
Age at Delivery	< 20 Years	1.9	1.2-2.6	35	170
	20-24	3.5	1.9-5.1	50	850
	25-34	2.5	1.8-3.1	103	1,596
	35+ Years	*1.5	0.8-2.3	31	450
Years of Education at Delivery	Less than high school	2.7	1.6-3.8	51	735
	Completed high school	3.9	2.5-5.2	76	1,147
	Some college	2.6	1.5-3.8	64	806
	Completed college or beyond	*0.7	0.3-1.2	14	264
2011 Household Income	<\$20,000	4.3	3.1-5.4	125	1,760
	\$20,000-\$39,999	*1.8	0.9-2.7	35	454
	\$40,000-\$59,999	*1.0	0.1-1.9	8	102
	\$60,000-\$99,999	*0.5	0.1-0.8	8	61
	\$>\$100,000	*1.1	0.3-1.9	9	198
Marital Status at Delivery	Married	9	0.5-1.2	43	616
	Never Married/Living Together	3.1	2.1-4.1	84	1,181
	Unmarried/Not Living with Partner	6.3	4.1-8.4	89	1,202


Missing and unknown categories are excluded from the analyses.

*Signifies that estimate is statistically unstable (relative standard error > 25%) and therefore may not be appropriate to use for planning or policy purposes.

Risk Behaviors During Pregnancy: Exposure to secondhand smoke

The LAMB Survey asked mothers how many hours a day, on average, were they in the same room with someone who was smoking during their pregnancy

A. By Service Planning Area (SPA)



B. By Maternal Characteristics


		Exposure to secondhand smoke			
Maternal Demographics	Category	%	95% Confidence Interval	Survey Respondents	Estimated County Total
Countywide		4.3	3.6-5.0	347	5,138
Race/Ethnicity	White	2.8	1.8-3.9	54	646
	Latino	3.8	2.8-4.8	96	2,564
	African American	11.4	9.2-13.6	120	1,080
	Asian/Pacific Islander	4.1	2.5-5.7	57	764
Age at Delivery	< 20 Years	7.7	5.9-9.4	97	653
	20-24	6.9	4.7-9.1	80	1,590
	25-34	3.7	2.8-4.6	122	2,268
	35+ Years	2.2	1.4-3.1	48	627
Years of Education at Delivery	Less than high school	5.1	3.5-6.8	80	1,172
	Completed high school	6.2	4.5-7.9	114	1,724
	Some college	4.7	3.2-6.2	93	1,417
	Completed college or beyond	1.9	1.1-2.7	39	677
2011 Household Income	<\$20,000	7.1	5.5-8.6	182	2,657
	\$20,000-\$39,999	3.4	2.0-4.9	44	838
	\$40,000-\$59,999	2.1	1.1-3.1	21	205
	\$60,000-\$99,999	*2.0	0.9-3.1	20	270
	\$>\$100,000	*1.1	0.2-1.9	11	192
Marital Status at Delivery	Married	2.2	1.5-2.8	90	1,428
	Never Married/Living Together	6.0	4.5-7.5	128	2,109
	Unmarried/Not Living with Partner	8.3	5.9-10.7	122	1,536

Missing and unknown categories are excluded from the analyses.
 *Signifies that estimate is statistically unstable (relative standard error > 25%) and therefore may not be appropriate to use for planning or policy purposes.

Risk Behaviors During Pregnancy: Using illegal drugs or drugs not prescribed by a doctor

The LAMB Survey asked mothers if they had used marijuana, hashish, amphetamines, cocaine, heroin, tranquilizers, hallucinogens, or sniffed gasoline, hairspray or other aerosols to get high or any drugs not prescribed by a doctor during their pregnancy.

A. By Service Planning Area (SPA)



B. By Maternal Characteristics

		Using illegal drugs or drugs not prescribed by a doctor			
Maternal Demographics	Category	%	95% Confidence Interval	Survey Respondents	Estimated County Total
Countywide		5.7	3.9-7.5	403	7,281
Race/Ethnicity	White	5.6	4.2-7.0	97	1,288
	Latino	4.0	3.1-5.0	108	2,947
	African American	7.7	5.9-9.5	95	756
	Asian/Pacific Islander	*11.1	0.3-21.8	65	2,119
Age at Delivery	< 20 Years	6.8	5.2-8.4	87	603
	20-24	6.9	4.8-9.0	77	1,670
	25-34	4.5	3.6-5.4	180	2,936
	35+ Years	*7.0	0.0-14.3	59	2,073
Years of Education at Delivery	Less than high school	3.3	2.2-4.4	67	880
	Completed high school	5.8	4.1-7.5	105	1,734
	Some college	*9.4	2.6-16.3	107	2,902
	Completed college or beyond	4.2	3.0-5.3	86	1,511
2011 Household Income	<\$20,000	5.0	3.9-6.2	158	2,063
	\$20,000-\$39,999	4.7	3.1-6.4	63	1,217
	\$40,000-\$59,999	5.9	3.4-8.4	41	595
	\$60,000-\$99,999	5.3	3.0-7.6	42	714
	\$>\$100,000	*10.3	0.0-21.5	41	1,863
Marital Status at Delivery	Married	*5.5	2.3-8.6	153	3,805
	Never Married/Living Together	4.6	3.5-5.7	129	1,723
	Unmarried/Not Living with Partner	8.5	6.2-10.9	115	1,626


Missing and unknown categories are excluded from the analyses.
*Signifies that estimate is statistically unstable (relative standard error > 25%) and therefore may not be appropriate to use for planning or policy purposes.

Note: Respondents who answered “yes” when questioned about use of marijuana, hashish, tranquilizers, hallucinogens, cocaine, heroin, amphetamines or prescription drugs not prescribed by their doctors were coded as “using illegal drugs or drugs not prescribed by a doctor.” Unmarried/Not living with a partner includes divorced, widowed, separated and never married living apart.

Risk Behaviors During Pregnancy: Drinking alcohol

The LAMB Survey asked mothers if they had any alcohol such as beer, wine, wine cooler, liquor, or a mixed drink made with liquor during their pregnancy

A. By Service Planning Area (SPA)




B. By Maternal Characteristics

Maternal Demographics	Category	Drinking alcohol			
		%	95% Confidence Interval	Survey Respondents	Estimated County Total
Countywide		9.5	8.6-10.5	752	12,312
Race/Ethnicity	White	19.5	17.2-21.8	308	4,498
	Latino	7.2	5.9-8.5	164	5,352
	African American	9.0	7.1-11.0	104	893
	Asian/Pacific Islander	6.1	4.1-8.0	93	1,174
Age at Delivery	< 20 Years	4.1	2.9-5.4	50	372
	20-24	9.1	6.6-11.5	84	2,219
	25-34	9.0	7.8-10.3	363	5,963
	35+ Years	12.6	10.3-15.0	255	3,758
Years of Education at Delivery	Less than high school	5.6	3.8-7.4	60	1,525
	Completed high school	6.0	4.3-7.7	91	1,818
	Some college	8.3	6.4-10.3	154	2,602
	Completed college or beyond	16.3	14.1-18.4	375	5,946
2011 Household Income	<\$20,000	6.8	5.3-8.4	148	2,854
	\$20,000-\$39,999	6.8	4.9-8.8	89	1,778
	\$40,000-\$59,999	9.9	6.9-12.9	72	1,010
	\$60,000-\$99,999	12.3	9.6-14.9	130	1,675
	\$>\$100,000	19.8	16.1-23.4	247	3,614
Marital Status at Delivery	Married	9.9	8.6-11.1	475	6,950
	Never Married/Living Together	8.4	6.7-10.1	157	3,210
	Unmarried/Not Living with Partner	10.8	7.9-13.7	114	2,102

Missing and unknown categories are excluded from the analyses.
 *Signifies that estimate is statistically unstable (relative standard error > 25%) and therefore may not be appropriate to use for planning or policy purposes.

Risk Behaviors During Pregnancy: Did not exercise during pregnancy

The LAMB Survey asked mothers how often they exercised for 30 minutes or more during the last three months of their pregnancy.
A. By Service Planning Area (SPA)



B. By Maternal Characteristics

		Did not exercise during pregnancy			
Maternal Demographics	Category	%	95% Confidence Interval	Survey Respondents	Estimated County Total
Countywide		20.9	19.3-22.5	1,370	25,241
Race/Ethnicity	White	21.6	18.9-24.3	299	4,669
	Latino	19.8	17.6-22.0	399	13,700
	African American	27.9	24.6-31.2	274	2,581
	Asian/Pacific Islander	20.6	15.5-25.6	291	3,793
Age at Delivery	< 20 Years	16.5	14.0-18.9	186	1,419
	20-24	18.6	15.4-21.8	200	4,343
	25-34	21.6	19.4-23.9	652	13,405
	35+ Years	22.6	18.6-26.6	332	6,074
Years of Education at Delivery	Less than high school	19.4	16.0-22.7	203	4,888
	Completed high school	22.3	18.7-26.0	310	6,351
	Some college	20.5	17.2-23.8	318	5,957
	Completed college or beyond	21.0	18.3-23.7	438	7,201
2011 Household Income	<\$20,000	20.9	18.3-23.4	416	8,073
	\$20,000-\$39,999	21.6	17.8-25.4	249	5,259
	\$40,000-\$59,999	18.6	14.4-22.9	123	1,774
	\$60,000-\$99,999	26.8	21.8-31.7	195	3,340
	\$>\$100,000	20.5	16.4-24.7	215	3,522
Marital Status at Delivery	Married	20.7	18.4-22.9	728	13,497
	Never Married/Living Together	19.6	17.0-22.2	368	7,077
	Unmarried/Not Living with Partner	23.6	19.7-27.4	255	4,314

Missing and unknown categories are excluded from the analyses.

*Signifies that estimate is statistically unstable (relative standard error > 25%) and therefore may not be appropriate to use for planning or policy purposes.

Note: Unmarried/Not living with a partner includes divorced, widowed, separated and never married living apart. "Did not exercise during pregnancy" includes those women who were told not to exercise by a health care provider.